

INNOVATION



PROTECTION



DURABILITY



Product Catalogue

A NEW ERA OF TOUGH FOOTWEAR

Neptun Boot

Footwear manufacturer of superior PVC gumboots and safety footwear since 1977.

Situated on the east coast of Durban, South Africa. We pride ourselves in excellent service and quality products.





INNOVATION

At Neptun Boot, we're committed to producing superior footwear protection, implementing safety features to ensure that you're protected. Having worked closely with underground mines in South Africa and around the world, we have learned how to improve the safety features of our heavy duty mining gumboots to prevent injuries that wearers experience on a day-to-day basis. We've taken feedback directly from the wearer and implemented the necessary features to keep their feet protected while working in dangerous areas or environments.

With this information and years of experience in safety footwear, we developed our unique metatarsal protection in PVC gumboots - a world first, setting us apart from the rest of the industry. This unique integrated metatarsal design allows for comfort while being flexed when wearer bends down, as well as offers maximum protection to the metatarsal. While we aim to make sure our boots are as comfortable as possible, we have also taken into serious consideration the safety aspects first. The patented design absorbs energy and disperses it should heavy objects fall on the wearer's foot, thus preventing injuries. This latest world-first integrated design originates from the predecessor Shosholoza gumboot with Metatarsal protection which won the prestigious DISA AWARD (Design Institute South Africa) in 2007 in the Mining and Industrial Category.

STIMELA XP

PRODUCT CODE
XBG25SM



Stimela XP **Metal Free** PVC gumboot

Safety Features **SB + M FO SRA**

- ▶ Fiberglass Toe Cap - 200 J
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XBG25SPM



Stimela XP **Metal Free** PVC gumboot

Safety Features **SB + P + M FO SRA**

- ▶ Fiberglass Toe Cap - 200 J
- ▶ **Ballistic textile midsole 1100 N**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 / | AS/NZS 2210.3

PRODUCT CODE
XBG4SM



Stimela XP **Metal Free** PVC gumboot

Safety Features **S4 + M FO SRA**

- ▶ Fiberglass Toe Cap - 200 J
- ▶ **Anti-static / Coldflex**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 / | AS/NZS 2210.3

PRODUCT CODE
XBG5SPM



Stimela XP **Metal Free** PVC gumboot

Safety Features **S5 + M FO SRA**

- ▶ Fiberglass Toe Cap - 200 J
- ▶ **Ballistic textile midsole 1100 N**
- ▶ **Anti-static / Coldflex**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 / | AS/NZS 2210.3



STIMELA XP

PRODUCT CODE
XBG25SMS



Stimela XP **Steel** PVC gumboot

Safety Features **SB + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XBG25SPMS



Stimela XP **Steel** PVC gumboot

Safety Features **SB + P + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Steel midsole 1100 N**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XBG54SMS



Stimela XP **Steel** PVC gumboot

Safety Features **S4 + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Anti-static / Coldflex**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XBG55SPMS



Stimela XP **Steel** PVC gumboot

Safety Features **S5 + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Steel midsole 1100 N**
- ▶ **Anti-static / Coldflex**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3





CE CLASS II
EN ISO 20345: 2011 SB + P + M FO SRA

stimeja

XP

STIMELA XP

PRODUCT CODE
XWG25SM



Stimela XP **Metal Free** PVC gumboot

Safety Features **SB + M FO SRA**

- ▶ Fiberglass Toe Cap - 200 J
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XWG25SPM



Stimela XP **Metal Free** PVC gumboot

Safety Features **SB + P + M FO SRA**

- ▶ Fiberglass Toe Cap - 200 J
- ▶ **Ballistic textile midsole 1100 N**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XWGS4SM



Stimela XP **Metal Free** PVC gumboot

Safety Features **S4 + M FO SRA**

- ▶ Fiberglass Toe Cap - 200 J
- ▶ **Anti-static / Coldflex**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XWGS5SPM



Stimela XP **Metal Free** PVC gumboot

Safety Features **S5 + M FO SRA**

- ▶ Fiberglass Toe Cap - 200 J
- ▶ **Ballistic textile midsole 1100 N**
- ▶ **Anti-static / Coldflex**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3



STIMELA XP

PRODUCT CODE
XWG25SMS



Stimela XP **Steel** PVC gumboot

Safety Features **SB + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XWG25SPMS



Stimela XP **Steel** PVC gumboot

Safety Features **SB + P + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Steel midsole 1100 N**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XWGS4SMS



Stimela XP **Steel** PVC gumboot

Safety Features **S4 + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Anti-static / Coldflex**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3

PRODUCT CODE
XWGS5SPMS



Stimela XP **Steel** PVC gumboot

Safety Features **S5 + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Steel midsole 1100 N**
- ▶ **Anti-static / Coldflex**
- ▶ Intergrated Metatarsal Protector - 100 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13 (including 6.5 & 10.5)
- ▶ Certified: EN ISO 20345: 2011 | AS/NZS 2210.3



PRODUCT CODE
ZBBRS



Shosholozza Heavy Duty PVC gumboot

Safety Features **SB SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Semi-recycled PVC**
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE
ZBG25SE



Shosholozza Heavy Duty PVC gumboot

Safety Features **SB FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Semi-recycled upper**
- ▶ Oil and acid resistant sole
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE
ZBG25S



Shosholozza Heavy Duty PVC gumboot

Safety Features **SB FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE
ZBG25SP



Shosholozza Heavy duty PVC gumboot

Safety Features **SB + P FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Steel midsole 1100 N**
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011



PRODUCT CODE

ZBG25SM



Shosholozza Heavy Duty PVC gumboot

Safety Features **SB + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Metatarsal Protector 100 J**
- ▶ SRA slip resistant
- ▶ Oil & Acid Resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE

ZBG25SPM



Shosholozza Heavy Duty PVC gumboot

Safety Features **SB + P + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Steel Midsole**
- ▶ **Metatarsal Protector 100 J**
- ▶ Oil and acid resistant sole
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011



PRODUCT CODE

ZWG25S



Shosholoza Heavy Duty PVC gumboot

Safety Features **SB FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ Oil & Acid Resistant
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE

ZWG25SP



Shosholoza Heavy Duty PVC gumboot

Safety Features **SB + P FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Steel Midsole**
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE

ZWG25SM



Shosholoza Heavy Duty PVC gumboot

Safety Features **SB + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Metatarsal Protector 100 J**
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE

ZBWG25SPM



Shosholoza Heavy duty PVC gumboot

Safety Features **SB + P + M FO SRA**

- ▶ Steel Toe Cap - 200 J
- ▶ **Steel midsole 1100 N**
- ▶ **Metatarsal Protector 100 J**
- ▶ Oil and acid resistant
- ▶ SRA slip resistant
- ▶ Size UK 3 - 14
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE
VBBGP



Shova General Purpose PVC gumboot

Safety Features **OB SRA**

- ▶ Semi-recycled PVC
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VBIGP



Shova General Purpose PVC gumboot

Safety Features **OB SRA**

- ▶ **Semi-recycled upper**
- ▶ **Virgin PVC sole**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VGBGP



Shova General Purpose PVC gumboot

Safety Features **OB SRA**

- ▶ Virgin PVC Upper
- ▶ Virgin PVC sole
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012


PRODUCT CODE
VBB25



Shova General Purpose PVC gumboot

Safety Features **OB FO SRA**

- ▶ Oil and acid resistant PVC
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012 | AS/NZS 2210.5



PRODUCT CODE
VBBGPF



Shova **Fishing** PVC gumboot

Safety Features **OB SRA**

- ▶ Semi-recycled PVC
- ▶ SRA slip resistant
- ▶ Drainage holes
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VBIGPF



Shova **Fishing** PVC gumboot

Safety Features **OB SRA**

- ▶ **Semi-recycled upper**
- ▶ **Virgin PVC sole**
- ▶ Drainage holes
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VWG25F



Shova **Fishing** PVC gumboot

Safety Features **OB FO SRA**

- ▶ Oil and acid resistant PVC
- ▶ SRA slip resistant
- ▶ Drainage holes
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VWG25FCH



Shova **Fishing Chelsea** PVC gumboot

Safety Features **OB FO SRA / General Purpose**

- ▶ Oil and acid resistant PVC
- ▶ SRA slip resistant
- ▶ Drainage holes
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012



PRODUCT CODE
VBBGPCLG



Shova **Clog** PVC gumboot

Safety Features **OB SRA**

- ▶ Semi-recycled PVC
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VBBGPCLG



Shova **Clog** PVC gumboot

Safety Features **OB SRA**

- ▶ **Virgin PVC Upper**
- ▶ **Semi-recycled PVC sole**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VBIGPCLG



Shova **Clog** PVC gumboot

Safety Features **OB SRA**

- ▶ **Semi-recycled Upper**
- ▶ **Virgin PVC sole**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VBBGPSH



Shova **Shoe** PVC gumboot

Safety Features **OB SRA**

- ▶ Semi-recycled PVC
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012



PRODUCT CODE
VGBGPSH



Shova **Shoe** PVC gumboot

Safety Features **OB SRA**

- ▶ Virgin PVC upper
- ▶ Semi-recycled PVC Sole
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE
VBIGPSH



Shova **Shoe** PVC gumboot

Safety Features **OB SRA**

- ▶ Semi-recycled Upper
- ▶ Virgin PVC sole
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012



PRODUCT CODE

VWG25A



Shova **Anti-bacterial** PVC gumboot

Safety Features **OB FO SRA**

- ▶ Oil & acid resistant PVC / Anti-bacterial additive
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012 / AS/NZS 2210.5

PRODUCT CODE

VWG25



Shova **General Purpose** PVC gumboot

Safety Features **OB FO SRA**

- ▶ **Oil & acid resistant**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012 | AS/NZS 2210.5

PRODUCT CODE

VWG25CLG



Shova **Clog** PVC gumboot

Safety Features **OB FO SRA**

- ▶ **Oil & acid resistant**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012 | AS/NZS 2210.5

PRODUCT CODE

VWG25SH



Shova **Shoe** PVC gumboot

Safety Features **OB FO SRA**

- ▶ **Oil & acid resistant**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012 | AS/NZS 2210.5



PRODUCT CODE

VWG25C



Shova **Chelsea** PVC gumboot

Safety Features **OB FO SRA**

- ▶ Oil & acid resistant PVC
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012 | AS/NZS 2210.5

PRODUCT CODE

VBBGPC



Shova **Chelsea** PVC gumboot

Safety Features **OB SRA**

- ▶ **Semi-recycled PVC**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012

PRODUCT CODE

VGBGPC



Shova **Chelsea** PVC gumboot

Safety Features **OB SRA**

- ▶ **Virgin PVC upper**
- ▶ **Semi-recycled Sole**
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20347: 2012



PRODUCT CODE
MBBGP



Marina **General Purpose** PVC gumboot

Features

- ▶ Semi-recycled PVC
- ▶ Size UK 3 - 9

PRODUCT CODE
MGBGP



Marina **General Purpose** PVC gumboot

Features

- ▶ Virgin PVC Upper
- ▶ Semi-recycled upper
- ▶ Size UK 3 - 9

PRODUCT CODE
MBBGPCLG



Marina **Clog** PVC gumboot

Features

- ▶ Semi-recycled PVC
- ▶ Size UK 3 - 9

PRODUCT CODE
MGBGPCLG



Marina **Glog** PVC gumboot

Features

- ▶ Virgin PVC Upper
- ▶ Semi-recycled sole
- ▶ Size UK 3 - 9



PRODUCT CODE
MBBGPSHO



Marina **Shoe** PVC gumboot

Features

- ▶ Semi-recycled PVC
- ▶ Size UK 3 - 9

PRODUCT CODE
MGBGPSHO



Marina **Shoe** PVC gumboot

Features

- ▶ Virgin PVC Upper
- ▶ Semi-recycled upper
- ▶ Size UK 3 - 9



PRODUCT CODE
MWG25



Marina **General Purpose** PVC gumboot

Features **OB FO SRA**

- ▶ Oil & acid resistant PVC
- ▶ SRA Slip resistant
- ▶ Size UK 3 - 9

PRODUCT CODE
MWWGP



Marina **General Purpose** PVC gumboot

Features **OB SRA**

- ▶ SRA Slip resistant
- ▶ Size UK 3 - 9

PRODUCT CODE
MWG25CLG



Marina **Clog** PVC gumboot

Features **OB FO SRA**

- ▶ Oil & acid resistant PVC
- ▶ SRA Slip resistant
- ▶ Size UK 3 - 9

PRODUCT CODE
MWWGPCLG



Marina **Clog** PVC gumboot

Features **OB SRA**

- ▶ SRA Slip resistant
- ▶ Size UK 3 - 9



- MEDICAL USE
- FOOD PROCESSING
- AGRICULTURE
- GENERAL PURPOSE USE

MARINA

PRODUCT CODE

MWG25SH0



Marina **Shoe** PVC gumboot

Features **OB FO SRA**

- ▶ Oil & acid resistant PVC
- ▶ SRA Slip resistant
- ▶ Size UK 3 - 9

PRODUCT CODE

MWWGPSHO



Marina **Shoe** PVC gumboot

Features **OB SRA**

- ▶ SRA Slip resistant
- ▶ Size UK 3 - 9



PRODUCT CODE
CRYGP



Clipper **Kiddies** PVC gumboot

Features

- ▶ Virgin PVC
- ▶ Reach Compliant PVC
- ▶ Size Infant UK 5 - 13 - Youth UK 1 - 3
- ▶ Colour Red Upper Yellow Sole

PRODUCT CODE
CBYGP



Clipper **Kiddies** PVC gumboot

Features

- ▶ Virgin PVC
- ▶ Reach Compliant PVC
- ▶ Size Infant UK 5 - 13 - Youth UK 1 - 3
- ▶ Colour Blue Upper Yellow Sole

PRODUCT CODE
CBCA



Clipper **Kiddies** PVC gumboot

Features

- ▶ Virgin PVC
- ▶ Reach Compliant PVC
- ▶ Size Infant UK 5 - 13 - Youth UK 1 - 3
- ▶ Colour Camo Upper Clear Sole

PRODUCT CODE
CBBR



Clipper **Kiddies** PVC gumboot

Features

- ▶ Semi-recycled PVC
- ▶ Size Infant UK 5 - 13 - Youth UK 1 - 3
- ▶ Colour Black Upper Black Sole



1977



2020

PRODUCT CODE
AABS2



SafeLite **Metal Free** Safety Boot

Safety Features **S2**

- ▶ **Composite lightweight Toe Cap - 200 J**
- ▶ 2mm Split leather
- ▶ Oil and acid resistant double density PU sole
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE
AABS3



SafeLite **Metal Free** Safety Boot

Safety Features **S3**

- ▶ Composite lightweight Toe Cap - 200 J
- ▶ **Ballistic textile midsole**
- ▶ 2mm Split leather
- ▶ Oil and acid resistant double density PU sole
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE
ASBS2



SafeLite **Metal Free** Safety Shoe

Safety Features **S2**

- ▶ **Composite lightweight Toe Cap - 200 J**
- ▶ 2mm Split leather
- ▶ Oil and acid resistant double density PU sole
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE
ASBS3



SafeLite **Metal Free** Safety Shoe

Safety Features **S3**

- ▶ Composite lightweight Toe Cap - 200 J
- ▶ **Ballistic textile midsole**
- ▶ 2mm Split leather
- ▶ Oil and acid resistant double density PU sole
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20345: 2011



PRODUCT CODE

AABS2



SafeLite **Metal Free** Safety Chelsea Boot

Safety Features **S2**

- ▶ Composite lightweight Toe Cap - 200 J
- ▶ 2mm Full grain cow leather
- ▶ Oil and acid resistant double density PU sole
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20345: 2011

PRODUCT CODE

AABS3



SafeLite **Metal Free** Safety Chelsea Boot

Safety Features **S2**

- ▶ Composite lightweight Toe Cap - 200 J
- ▶ 2mm Full grain cow leather
- ▶ Oil and acid resistant double density PU sole
- ▶ SRA slip resistant
- ▶ Size UK 4 - 13
- ▶ Certified: EN ISO 20345: 2011





LEARNING CENTRE




CERTIFICATION EN20347

EN20347 = standards for non-safety footwear

OB = occupational boot

FO = fuel & oil resistant / oil & acid resistant

SRA = slip resistant



CERTIFICATION EN20345

EN20345 = standards for safety footwear

SB = safety boot (toe cap)

P= anti-penetration (midsole protection)

FO = fuel and oil / oil & acid resistant

SRA = slip resistant

M = metatarsal protection

S2 = toe cap, anti-static, fuel & oil, energy absorption, water resistant upper


S3 = anti-static, fuel & oil, energy absorption, water resistant upper, anti-penetration sole

S4= toe cap, **anti-static**, fuel & oil, energy absorption, **waterproof**

S5 = toe cap, **anti-static**, fuel & oil, energy absorption, **waterproof**, anti-penetration



ISO 9001 - quality management system - ensures that boots manufactured in an ISO approved factory are of the correct standards



CE / EN | AS/NZS = Certification mark that indicates conformity with, safety and protection standards for products sold within the European, New Zealand, Australia and South African Markets.



CRADLE TO GRAVE

Neptun Boot has an environmental Cradle to Grave Policy with the mining sector whereby new gumboots are supplied to mineworkers and old boots have to be returned upon new boots being issued. The old boots are collected by an Approved Recycler for recycling.



The boots are washed, granulated, and bagged for return to Neptun Boot where they are used again in a blend for use in basic general-purpose black boots.

This policy protects the environment by reducing the possibility of boots lying in dumps or being burned in the environment.

It is Neptun Boots environmental intent to extend this policy to include the commercial and agricultural sectors in focussing on recycling.

This reduces the environmental impact as well as keeping costs down in entry level markets.





At Neptun, we're proud to be based in South Africa and provide our products to local communities. We're passionate about the benefits of supporting and stimulating the local economy. Why is this mission so important? What happens when you make the effort to support locally made products? Below are just some of the benefits.

It helps to stimulate the local economy when local businesses are supported, it helps the whole community to thrive. Money spent at a local business is more likely to circulate and flow back into that same community, than money spent at larger international chains.

It creates more jobs within the country rather than outsourcing labour or importing products from another country, our local factories create jobs within South Africa, helping to alleviate unemployment and support communities.

It **retains** and **upskills** workers when Neptun grows and strengthens, it means our employees are able to **grow** and **strengthen** too. Not only do they benefit from consistent employment, but they are able to learn **new skills** and add more to the business and the economy.

It strengthens the local supply chain by keeping our supply chain local, we strengthen many other local businesses and in turn keep the entire supply chain thriving.

It keeps money circulating within the South African economy with many businesses suffering the impact of the pandemic, it is essential for the South African economy to receive as much support and stimulation as possible. When you spend money at a local business, it is able to circulate within the local economy.

It inspires industry innovation thriving businesses are able to perform at their best, leading to innovation and improvements to the industry as a whole.

At Neptun, we're passionate about the long-term benefits of buying local – for the customer and the country alike. As a South African company, we're committed to supplying high-quality, locally-made safety footwear products to the people of our beautiful country – and in doing so, create local employment and revenue.

LOCAL EMPLOYMENT



A NEW ERA OF TOUGH FOOTWEAR

www.neptunboot.co.za

