


PIONEERS SAFETY



CONTENTS

HAND PROTECTION	01-85
WORKWEAR	86-104
WINTER WEAR	105-109
REFLECTIVE WEAR	110-118
RAIN WEAR	119-124
DISPOSABLE WEAR	125-128
LEATHER WEAR	129-134
FOOTWEAR	134-142
RESPIRATORY	143-148
HEAD PROTECTION	149-161
EYE PROTECTION	162-179
HEARING PROTECTION	180-186
FALL ARREST	187-194
ONSITE EQUIPMENT	195-198
FIRST AID EQUIPMENT	199-201
ROAD SAFETY	202-208



HAND PROTECTION

PIONEERSAFETY

INTRODUCING MAXMAC

Maxmac gloves are designed for tough work environments, offering exceptional protection with a range of advanced features. These gloves provide cut resistance, Impact resistance, and nitrile dipping for enhanced grip in oily environments. The foam nitrile coating ensures excellent abrasion resistance, while the TPR design provides flexibility and durability. The anti-slip material promotes secure handling, reducing the risk of accidents. The Hi-Visibility feature enhances safety awareness in low-light or high-traffic areas. Ideal for mining and heavy-duty work, Maxmac gloves are a reliable choice for those who require top-notch performance, comfort, and protection in demanding tasks.

YOUR ULTIMATE ARMOR FOR TOUGH TASKS

KEEPING YOUR HANDS SAFE AND PRODUCTIVE IN ANY RUGGED ENVIRONMENT.

WHERE DURABILITY MEETS COMFORT



INPAX

SANDY NITRILE PALM

CODE: G122 | **SIZE: 7-11**



Maxmac INPAX glove is designed to meet the highest cut resistance Level 5 according to ANSI standard. Cotton with Aramid composed yarn in the liner also provides great comfort and softness. Sandy Nitrile coated on palm optimises the grip in light oil environment.

TPR design covered on every essential back corner provides high impact protection. Foam padding add-ons on the palm not only enhances the comfort but also relieves fatigue for users.

PRODUCT DESCRIPTION

Item Code	G122
Construction	Cut & Sewn
Liner Material	Cotton & Aramid
Finishing	Sandy Nitrile Palm, TPR pad on the back
Cuff Style	Adjustable Velcro Closure
Colour	Black & Orange
Mechanical	EN388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv3
Chemical	Acids, Bases, Solvents not suitable
Hot & Cold	Not suitable
Risk Category	II
EN Size	7,8,9,10,11 Pack size: 50 per carton

IDEAL APPLICATIONS

- Construction Work
- Oil & Gas Industry
- Automotive
- Mining
- Engineering
- Industry Maintenance



Multi-purpose



Cut Resistant



Impact



Abrasion Resistant



Dry Grip



Oil Grip



Heat Resistant



Heat Resistant

NITRILE TOUGHNESS FOR YOUR HANDS!



Nitrile Coated

Cut Resistant

IMPACT

NITRILE COATED GLOVE

CODE: G121 | **SIZE:** 7-10

Nitrile coated cut resistant gloves provides excellent grasp on tools or objects. The gloves meet highest level resistance to cut, puncture, tear and abrasion to ensure complete protection for your hands.

PRODUCT DESCRIPTION

Item Code	G121
Construction	Cut & Sewn
Gauge	13 Gauge Cut-Resistance Liner
Coating Type	Nitrile Palm Sandy Finish
Range	Anti Cut - Anti Impact
Colour	Black & Yellow
Standard	EN388:2016 4A12018;EN4320:2004 A120 09
Mechanical	Abrasion Resistance Lvl 4, Tear Resistance Lvl 4, Puncture Lvl 2
Risk Category	II
EN Size	7,8,9,10
Pack Size	50 per carton

IDEAL APPLICATIONS

- Furniture Manufacturing
- Inspection
- Interiors Assembly
- Light Sheet Metal Assembly
- Handling Objects with Sharp Edges
- Automobile Assembly



UNLEASH YOUR WORKFORCE'S STRENGTH
Gear Up With Confidence

INTRODUCING IRON HAND

BY MAXMAC

A work glove that meets the highest cut resistance Level 5 as per CE standards. It features a 13G cutting-resistant shell for exceptional durability.

The black foam nitrile coated palm provides a superior grip, while the red TPR design offers high impact protection. The foaming padding on the palm enhances comfort and reduces fatigue, making it ideal for extended work hours.

The Iron Hand is designed for a wide range of industries and applications, including construction, oil & gas, automotive, mining, engineering, and industry maintenance. It's the go-to glove for professionals who demand top-notch hand protection, durability, and comfort.

With its unmatched cut resistance, robust impact protection, and exceptional comfort, this glove is built to withstand the toughest challenges of your workday.

Built to Endure, Designed to Protect

IRON HAND

KNUCKLE NITRILE PALM

CODE: G129 | SIZE: 8-11



PRODUCT DESCRIPTION	
item code	G129
construction	CU & SEWN
liner material	13G HIPS, 0.6mm nitrile, cowara, polyester
finishing	foam nitrile palm, TPR pad on the back
cuff style	ank wrist
colour	black & red
mechanical	resists abrasion LVA, CU LVA, TPR LVA, PRESSURE LVA
chemical	acids, bases, solvents not suitable
hot & cold	not suitable
safety category	1
size	S, M, L, XL
unit	pack size: 30 per carton

IDEAL APPLICATION	
-	construction work
-	oil & gas industry
-	automotive
-	mining
-	engineering
-	industry maintenance

Features

High Cut Resistance:
The glove meets the highest cut resistance Level 5 as per CE standards, providing exceptional protection against cuts and abrasions.

Durable Construction:
The 13G cutting-resistant shell ensures durability, making it suitable for tough work environments.

Superior Grip:
The black foam nitrile coated palm provides a superior grip, allowing for secure handling of tools and materials.

High Impact Protection:
The red TPR (thermo-plastic rubber) design offers robust impact protection, safeguarding the hands from potential hazards.

Comfortable:
The foaming padding on the palm enhances comfort and reduces fatigue, making it ideal for extended work hours.

Versatile Applications:
The glove is designed for a wide range of industries and applications, including construction, oil & gas, automotive, mining, engineering, and industry maintenance.

Professional Grade:
The Iron Hand is built to meet the demands of professionals who require top-notch hand protection, durability, and comfort in their work.

Reliable Performance:
The glove is engineered to withstand the toughest challenges of the workday, providing unbeatable performance in challenging work environments.

Enhanced Productivity:
The Iron Hand's comfort features help reduce hand fatigue, allowing professionals to stay productive throughout their workday.



NO COMPROMISE ON PROTECTION

Tough Hand Workwear Gloves  YOUR HANDS BEST DEFENSE!



TOUGH HAND

SANDY NITRILE PALM

CODE: G130 | **SIZE:** 8-11



Maxmac Tough Hand with nitrile dipping to prevent oil penetration through the glove. TPR design covered on every essential back corner provides high impact protection. Excellent abrasion resistance.



Multi-purpose



Impact Resistant



Abrasion



Dry Grip



Oil Grip



Nitrile

PRODUCT DESCRIPTION

Item Code	G130
Construction	Knitted
Gauge	16
Linear Material	Nylon
Finishing	Sandy nitrile palm, TPR pad on the back
Cuff Style	Knit wrist
Colour	Red, Black & Yellow
Mechanical	EN388 Abrasion Lv4, Cut Lv2, Tear Lv3, Puncture Lv2
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	8,9,10,11
Pack Size	60 per carton

IDEAL APPLICATIONS:

- Construction Work
- Oil & Gas Industry
- Automotive
- Mining
- Engineering
- Industry Maintenance

ENGINEMAN

CODE: G132 SIZE: 7-12



Maxmac Engineman with synthetic and anti-slip leather palm to increase abrasion resistance. Spandex gives breathable and comfortable reception. Fluorescent colour attention to reduce the risk during work.



YOUR TRUSTED PARTNER IN ENGINEERING PERFORMANCE

PRODUCT DESCRIPTION

Item Code	G132
Construction	Cut & Sewn
Liner Material	Synthetic Leather, Anti-Slip Material
Finishing	Leather Palm, Latex pad on the back
Cuff Style	Adjustable Velcro closure
Colour	Black & Orange
Mechanical	EN388 Abrasion Lv2, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not Suitable
Risk Category	II
EN Size	7,8,9,10,11,12

Pack Size: 50 per carton

IDEAL APPLICATIONS

- Power tool Use
- General Handling
- Home Maintenance
- Operating Machinery & Equipment
- Fabrication



Mechanics



Breathable



High Visibility

MINER

GLOVE

CODE: G103 SIZE: 7-11



Maxmac Miner glove is designed to meet the extreme conditions of rig floor, rig services and hydraulic fracing, the toughest condition in the oilfield. This glove will provide protection against oily, dry and wet grip abrasion. TPR finger protection. Latex strap knuckle and back protection. HI-vis spandex back. Anti-slip material enhances extreme abrasion resistance.



YOUR ULTIMATE COMPANION FOR MINING EXTREMES

TOUGHER THAN THE TOUGHEST CONDITIONS!

PRODUCT DESCRIPTION

Item Code	G103
Construction	Cut & Sewn
Liner Material	Synthetic Leather, Anti-Slip Material
Finishing	Leather palm, Latex pad on the back
Cuff Style	Adjustable Velcro Closure
Colour	Black & Orange
Mechanical	EN388 Abrasion Lv2, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not Suitable
Risk Category	II
EN Size	7,8,9,10,11,12

Pack Size: 50 per carton

IDEAL APPLICATIONS

- Construction Work
- Oil & Gas Industry
- Automotive
- Mining
- Engineering
- Industry Maintenance



Multi-purpose



Wet Grip



Impact



Resistive



Dry Grip



Oil Grip



Anti-slip



Mechanic



Breathable

PION-VERT

SYNTHETIC LEATHER PALM

CODE: G131 | SIZE: 9-11



Maxmac Pion-Vert glove with a synthetic leather palm for grip that performs better in a cold, wet condition and is fast drying. Spandex gives breathability and comfort reception. Elastic wrist for comfort.

PRODUCT DESCRIPTION

Item Code	G131
Construction	Cut & Sewn
Liner Material	Synthetic Leather, Spandex Fabric, Polyurethane Leather
Finishing	Synthetic Leather Palms, Spandex Fabric on the back
Cuff Style	Elastic Wrist, Polyurethane Branding
Colour	Black & Orange
Mechanical	En388 Abrasion Lv2, Cut Lv1, Tear Lv0, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not Suitable
Risk Category	II
EN Size	9,10,11

Pack Size: 60 per carton

MAXIMIZE YOUR PROTECTION

WITH MAXMAC GLOVES

ENGINEERED FOR YOUR TOUGHEST JOBS



TYPHON

CODE: G123 | **SIZE:** 10



Maxmac Typhon glove provides comfort and flexibility. Easy to wear during long working hours. Cowsplit hand back and cowgrain leather palm gives more cut resistant and longer lifespan. Silicone pad inside the palm could give better vibration resistance and the velcro at the wrist is adjustable.

PRODUCT DESCRIPTION

Item Code	G123
Construction	Sewn
Liner Material	Cow Split hand back and Cow Grain Leather palm, vibration resistant, silicone pad inside palm, adjustable wrist band.
Finishing	Leather Palm, Latex pad on the back
Cuff Style	Velcro at wrist
Colour	Black
Mechanical	EN388 Abrasion Lv4, Cut Lv2, Tear Lv4, Puncture Lv3
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not Suitable
Risk Category	II
EN Size	10

Pack Size: 30 per carton



Mechanic



Breathable



Leather



Vibration

CUTMASTER

TYPE OF CUTS

SLICING

Caused by the sliding of the skin across a very sharp edge. The sliding action can be a result of the hand or other skin surface sliding across the sharp edge or by the sharp edge sliding across the stationary hand or other skin surface. Examples of this type of cut would be a slip of the knife when dicing vegetables.

ABRASIONS

This type of cut is the process of scraping or wearing away. The surface may or may not be sharp/jagged. Punctures or Impact Cuts.

These result from sharp or pointed objects impacting the skin (falling pane of glass or sheet of metal). Punctures are often categorized as cut hazards because they cause lacerations. When dealing with this type of hazard, it is important to remember that the initial protection needed is not cut resistance, it is puncture resistance—they are not the same thing. The hand is getting cut because the barb or shard is penetrating the surface of the glove. A coating or leather patch can be added to the glove surface to help prevent shards from penetrating.

EDGE SHARPNESS

All edges are sharp, however, a true assessment of this hazard can reduce the likelihood of cut incidents and decrease the severity of them, should they still occur. There are many different types of cut resistant fibers to choose from, and each has a cost and/or protection benefit that can be evaluated.

EDGE ROUGHNESS

Thin gauge sheet metal has a smaller burr when stamped or punched than thicker gauge sheet metal. Bigger burrs or rougher edges require thicker or heavier weight gloves. The thickness will prevent the burr from penetrating the glove and cutting the hand. Heavier weight gloves will wear longer when exposed to rougher edges. Yarns with higher tensile strength combined with abrasion resistance are required in these applications.

SURFACE TEXTURE

Dry surfaces require gloves with grip. Oily surfaces require gloves with absorption in order to get a good grip. Different grips can be added to cut resistant gloves by dipping, dotting, or screening.

Moving Edges vs. Stationary Edges

Moving edges require thicker gloves because the edge tears the glove surface as it passes along the palm. Thickness, in this case, equates to wear resistance. Stationary edges require less reinforcement. It is important to note the moving edge referenced here occurs when a hand slides along a piece of metal or glass as it is grabbed. No glove can protect against a moving or rotating blade.

ASSEMBLY

Hand cut injuries often occur in sheet metal assembly areas where moving parts (nuts, bolts, and screws) are driven with automatic wrenches and screwdrivers. As a general rule, knit gloves should not be used in these areas because they can catch on the edge of a turning screw or bolt as it is driven. Gloves with a tacky grip can pose the same hazard. Gloves knit with cut-resistant fibres can be dipped with coatings that encapsulate the knit fibres and provide dry, wet, and oily surface gripping without being tacky.



PURALITE

PU PALM

CODE: G062 | **SIZE:** 7-11

Cutmaster Puralite glove provides comfort and flexibility. Easy to wear during long work hours, they also offer users a cool feeling. The special formulation of the polyurethane coating gives the gloves flexibility and perfect fit, as well as a secure grip on dry to slightly oily pieces for sure handling in a wide range of environments. Cut resistance Level 5 provides the glove safe handling sharp pieces.

PRODUCT DESCRIPTION	
Item Code	G062
Construction	Knitted
Gauge	13
Liner Material	HPPE, Glass Fiber, Nylon
Coating Material	Polyurethane
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Grey & White
Mechanical	EN388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv3
Chemical	Acids, Gases, Solvents not suitable
Hot & Cold	Not Suitable
Risk Category	II EN Size: 8,9,10,11 Pack Size: 120 per carton

- IDEAL APPLICATIONS**
- Assembling metal parts & components
 - Automotive
 - Glass manufacturing
 - Handling of sharp objects, cutting of small dry or lightly oiled parts
 - Plastic Injection & moulding



Flexible



Cut Resistant



Abrasion Resistant



Dry Grip



Polyurethane



CUTMASTER

BUILT TO BEAT OIL ENGINEERED FOR EXCELLENCE!

CUTMASTER | VIKING



VIKING



FULLY NITRILE COATED

CODE: G115 | SIZE: 9-10

Cutmaster Viking glove with micro foam nitrile fully coated offers full protection and a longer life span. HPPE, spandex and polyester composed yarn gives the glove a level 3 cut resistance. Adjustable velcro cuff provides a better fit.

PRODUCT DESCRIPTION

Item Code	G115
Construction	Knitbed
Gauge	T3
Liner Material	HPPE, Polyester, Spandex
Coating Material	Nitrile
Finishing	Fully Coated
Color	Black
Mechanical	EN388 Abrasion Lx4, Cut Lx3, Tear Lx4, Puncture Lx3
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not suitable
Risk Category	8 EN Size 9,10 Pack Size 120 in a cartons

IDEAL APPLICATION:

- timber works & construction
- handling building materials
- glass manufacturing
- food bar manufacturing & handling
- pre-assembly & culling of small dry or lightly oiled parts
- shoe making & metalwork



CUT THROUGH YOUR WORK WITH CONFIDENCE.



GRIPPA CODE: G065 | SIZE: 8-11



CRINKLE LATEX PALM
Cutmaster Gripper with lightweight liner construction gloves offer outstanding comfort and durability. Natural rubber on the palm provides a safe grip while preventing liquid penetration. Cut resistance Level 5 provides the gloves safe handling of sharp pieces.

PRODUCT DESCRIPTION	
Item Code	G065
Construction	Knitted
Gauge	10
Liner Material	MPPE, Glass Fiber, Nylon
Coating Material	Crinkle Latex
Finishing	Palm Coated, Cuff Style - Knit wrist
Colour	Black & White
Mechanical	EN388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv3
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not suitable
Risk Category	II
EN Size: 8,9,10,11 Pack Size: 120 in a carton	

- IDEAL APPLICATIONS:**
- General Work
 - Glazing
 - Steel Industry
 - Sheet Metal Fabrication
 - Potting & Canning
 - Cutting Application
 - Waste Recycling



NITRI-GRIPA CODE: G137 | SIZE: 7-11



PALM DIPPED
Cutmaster Nitri-Gripa cut resistant lv 5 glove. Designed for precision tasks where mechanical hazards are present. Cutmaster shell with durable sandy nitrile coating ensures protection against abrasion, and tearing and top level 5 cut resistance and heat resistance. The gloves liner is coated with high grip but supple nitrile that increases its oil and chemical resistance. The back of the hand is ventilated, making it comfortable to wear.

PRODUCT DESCRIPTION	
Item Code	G137
Construction	Knitted
Gauge	13
Liner Material	MPPE, Polyester, Spandex
Coating Material	Nitrile
Finishing	Palm Coated
Colour	Black & Grey
Mechanical	EN388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv4
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not suitable
Risk Category	II
EN Size: 8,9,10 Pack Size: 120 in a carton	

- IDEAL APPLICATIONS:**
- Assembling metal parts & components
 - Man alling building materials
 - Glass manufacturing
 - Steel bar manufacturing & handling
 - Sheet metals & metalwork
 - Timber works & construction



NITRI-GRIPPA

3/4 DIPPED

CODE: G138 | SIZE: 9-10

Cutmaster Nitri-Gripa cut resistant lv 5 glove. Designed for precision tasks where mechanical hazards are present. Cutmaster shell with durable sandy Nitrile coating ensures protection against abrasion, and tearing and top level 5 cut resistance and heat resistance. The gloves liner is coated with high grip but supple nitrile that increases its oil and chemical resistance. The back of the hand is 3/4 dipped.



PRODUCT DESCRIPTION

Item Code	G138
Construction	Knitted
Gauge	13
Linear Material	HPPE, Polyester, Spandex
Coating Material	Nitrile
Finishing	3/4 Coated
Colour	Black, Grey & Orange
Mechanical	EN388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv4
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not suitable
Risk Category	II EN Size: 9,10 Pack Size: 120 in a carton

IDEAL APPLICATIONS

- Assembling Metal Parts & Components
- Handling Building Materials
- Glass Manufacturing
- Steel Bar Manufacturing & Handling
- Sheet Metals & Metalwork
- Timber Works & Construction



Cut Resistant



Abrasion Resistant



Dry Grip



Flexible



Oil Grip



Nitrile

NITRI-GRIPA

FULLY DIPPED

CODE: G139 | SIZE: 8-10

Cutmaster Nitri-Gripa cut resistant lv 5 glove. Designed for precision tasks where mechanical hazards are present. Cutmaster shell with durable sandy Nitrile coating ensures protection against abrasion, and tearing and top level 5 cut resistance and heat resistance. The gloves liner is coated with high grip but supple nitrile that increases its oil and chemical resistance. The back of the hand is fully dipped, making it 100% waterproof.



PRODUCT DESCRIPTION

Item Code	G139
Construction	Knitted
Gauge	13
Linear Material	HPPE, Polyester, Spandex
Coating Material	Nitrile
Finishing	Fully Coated
Colour	Black, Grey & Orange
Mechanical	EN388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv4
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not suitable
Risk Category	II EN Size: 8,9,10 Pack Size: 120 in a carton

IDEAL APPLICATIONS

- Assembling Metal Parts & Components
- Handling Building Materials
- Glass Manufacturing
- Steel Bar Manufacturing & Handling
- Sheet Metals & Metalwork
- Timber Works & Construction



Cut Resistant



Abrasion Resistant



Dry Grip



Water Proof



Oil Grip



Nitrile



CUT LEVEL 3

PU PALM

CODE: G136 | SIZE: 8-10

PROPERTY DESCRIPTION	
Item Code	G136
Construction	Knitted
Gauge	12
Liner Material	HNCO, Chloro Fibre, Nylon
Coating Material	Polysulfone
Finishing	Palms Coated, Cuff Style - Knit Wrist
Colour	Grey & White
Mechanical	EN388 Abrasion Lx4, Cut Lx3, Tear Lx4, Puncture Lx2
Chemical	Acids, Gases, Solvents not suitable
Heat & Cold	None suitable
Wet Category	II

IDEAL APPLICATIONS	
Construction Work	
Drilling	
Steel Industry	
Steel Metal Fabrication	
Building & Carpentry	
Cutting Edge Work	
Welding & Soldering	



CHALLENGER

LEATHER PALM

CODE: G061 | SIZE: 10

PROPERTY DESCRIPTION	
Item Code	G061
Construction	Cuff & Sewn
Gauge	10
Liner Material	HNCO, Chloro Fibre, Nylon, Lycra
Coating Material	A/B Grade Split Cow Leather
Finishing	Cuff Style - Knit Wrist
Colour	White & Grey
Mechanical	EN388 Abrasion Lx4, Cut Lx3, Tear Lx4, Puncture Lx2
Chemical	Acids, Gases, Solvents not suitable
Heat & Cold	Low at 1 for hot and resistance EN471
Wet Category	II

IDEAL APPLICATIONS	
Construction Work	
Drilling	
Steel Industry	
Steel Metal Fabrication	
Building & Carpentry	
Cutting Edge Work	
Welding & Soldering	



MAXI-FIT

FOAMED NITRILE PALM CODE: G125 | SIZE: 7-9



PRODUCT DESCRIPTION	
Item Code	G125
Construction	Knitted
Gauge	10
Liner Material	HPPE, Nylon, Spandex
Coating Material	Nitrile
Finishing	Palms Coated, Crotch on Thumb, Cuff Style - Knit Wrist
Colour	Green & Black
Mechanical	EN388 Abrasion Lx4, Cut Lx3, Tear Lx3, Puncture Lx2
Chemical	Acids, Gases, Solvents not suitable
Heat & Cold	Not Suitable
Wet Category	II

IDEAL APPLICATIONS	
Assembling Metal Parts & Components	
Wiring Components	
Automotive	
Handling Sharp Objects	
Cutting Dry or Lightly Oiled Parts	
Inspection	
Tools & Instruments	



SATHO-INPAX

CUT LEVEL 5

CODE: G141 SIZE: 10



The Satho Inpax Cutmaster glove is a high-quality glove with a 13-gauge HPPE cut level 5 construction. It features a fully coated blue Nitrile palm and fingers for excellent grip, a smooth finish for comfort, and compacted TPR reinforcement on the back and fingers for impact resistance. The glove also has a compound safety cuff for wrist protection and is accented with black Nitrile for durability.

PRODUCT DESCRIPTION

Item Code	G141
Construction	Knitted
Gauge	13
Linear Material	HPPE
Coating Material	Nitrile
Finishing	Fully Coated
Colour	Blue
Mechanical	EN388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv3
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not suitable
Risk Category	II
EN Size	10
Pack Size	60 in a carton

DEAL APPLICATION:

- Petroleum Industry
- Glazing
- Steel Industry
- Sheet Metal Fabrication
- Rolling & Canning
- Cutting Application
- Waste & Recycling



Cut Resistant



Abrasion Resistant



Dry Grip



Wet Grip



Oil Grip



Nitrile

DON'T RISK IT

WEAR **CUTMASTER**



SATHO

CODE: G140 SIZE: 10

CUT LEVEL 5



The Satho Cutmaster glove is a high-performance glove with a 13-gauge HPPE cut level 5 construction. It is fully coated with smooth Nitrile, has a compound safety cuff, and is accented with black Nitrile for durability. It offers reliable cut protection and comfort for various tasks.

PRODUCT DESCRIPTION

Item Code	G140
Construction	Knitted
Gauge	13
Linear Material	HPPE
Coating Material	Nitrile
Finishing	Fully Coated, Cuff Style
Colour	Blue
Mechanical	EN388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv3
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not suitable
Risk Category	II
EN Size	10
Pack Size	60 in a carton

DEAL APPLICATIONS

- Petroleum Industry
- Glazing
- Steel Industry
- Sheet Metal Fabrication
- Rolling & Canning
- Cutting Application
- Waste & Recycling



Cut Resistant



Abrasion Resistant



Dry Grip



Wet Grip



Oil Grip



Nitrile



INNOVATOR

TRIPLE DIPPED PVC

CODE: G603 | SIZE: 10

Triple dipped PVC coating with 13g seamless cotton liner and 13g seamless dyneema plus glass fiber interlayer. Cut resist level 5 protects users against mechanical hazards in the workplace. No-slip finishing at the palm provides better grip in wet and dry conditions. Keeps good flexibility under low temperature.

PRODUCT DESCRIPTION

Item Code	G603
Construction	Knitbed & Dipped
Liner Material	Dyneema, Glass Fiber
Cuff Style	Gauntlet
Colour	Black & Orange
Mechanical	EN388 Abrasion Lv4, Cut Lv5, Tear Lv2, Puncture Lv1
Chemical	Methanol, n-Heptane, Sodium Hydroxide 40%, Sulphuric Acid 90%
Risk Category	II EN Size: 10 Pack Size: 60 in a carton

IDEAL APPLICATIONS

- Mining industry
- petroleum
- Area of processing
- glass processing
- Auto & steel industry



Flexible



Cut Resistant



Abrasion Resistant



Oil Grip



Dry Grip



VOLCANO

LATEX PALM DIPPED

CODE: G118 | SIZE: 9-10

PRODUCT DESCRIPTION

Item Code	G118
Construction	Knitted
Gauge	10
Liner Material	Kevlar®
Coating Material	Natural Rubber Latex
Finishing	Palm Coated, Cuff Style - Kelt Wrist
Colour	Yellow & Blue
Mechanical	EN388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv2
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Heat resist up to 250°C
Risk Category	I EN Size 9,10 Pack Size: 120 in a carton

IDEAL APPLICATIONS

- Construction
- Mining
- Oil & Gas Industry
- Engine work
- Automotive
- Industry Maintenance



SCABBARD

PRO SLEEVE

CODE: G063 - 35cm

CODE: G069 - 60cm

Cutmaster Scabbard Pro Cow split leather sewn on sleeves, fully Kevlar® sewn. Cut resistance Level 5 provides the sleeve for handling of sharp pieces.

PRODUCT DESCRIPTION

Item Code	G063
Construction	Knitted
Gauge	13
Liner Material	HPPE, Glass Fiber, Nylon
Cuff Style	Sleeve
Colour	Grey & White
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv2
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not suitable
Risk Category	II EN Size: 35/60cm Pack Size: 120 in a carton

IDEAL APPLICATIONS

- Construction Work
- Oil & Gas Industry
- Automotive
- Mining
- Engineering
- Industry Maintenance



Cut Resistant



Abrasion Resistant



Washable



Leather



**FLEX
YOUR
GRIP**

**CONQUER
ANY
TASK**



FLEX

PIONEER SAFETY



Get a *grip* on any task with

HANDYMAN

HANDYMAN

GLOVE



CODE: G057 | **SIZE:** 7-11

The Pioneer Safety Handyman Flex glove is a highly flexible and comfortable glove designed for use in a variety of tasks. It offers excellent resistance to puncture and has a superior wet and dry grip, allowing for a firm hold on tools and objects. The open back design of the glove helps to reduce perspiration build-up, ensuring that your hands remain dry and comfortable even during extended use.

PRODUCT DESCRIPTION	
Item Code	G057
Construction	Knitted
Gauge	15
Liner Material	Polyester
Coating Material	Foamed Latex
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Black
Mechanical	EN388 Abrasion Lu3, Cut Lv1, Tear Lv1, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not suitable
Risk Category	II
	EN Size 7,8,9,10,11 Pack Size: 120 in a carton

IDEAL APPLICATIONS	
General Purpose	Light Vehicle Maintenance
Light Fabrication	Shipping & Receiving
Light Material Handling	Project Completion



FROM LIGHT TO HEAVY-DUTY TASKS THE FLEX RANGE HAS GOT YOU COVERED!



DURA-WAK

GLOVE



CODE: G111 | SIZE: 7-11

The Flex Dura-Wak glove is designed for use in a wide range of handling and carrying applications. The natural rubber coating delivers excellent overall mechanical performance for maximal protection and durability. The Latex crinkle finish gives the glove excellent grip in both dry and wet conditions. High flexibility and comfort.

PRODUCT DESCRIPTION

Item code	G111
Construction	Knitted
Gauge	10
Liner Material	Polyester
Coating Material	Latex
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Blue & Black
Mechanical	EN388 Abrasion Lvl2, Cut Lvl, Tear Lvl, Puncture Lvl
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not suitable
Risk Category	II

EN Size: 7, 8, 9, 10, 11 Pack Size: 120 in a carton

IDEAL APPLICATIONS

- General work



SNUG PLUZ

GLOVE



CODE: G113 | SIZE: 7-11

PRODUCT DESCRIPTION

Item Code	G113
Construction	Knitted
Gauge	10
Liner Material	Polyester
Coating Material	Latex
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Red & Grey
Mechanical	EN388 Abrasion Lvl2, Cut Lvl, Tear Lvl, Puncture Lvl
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not suitable
Risk Category	II

EN Size: 7, 8, 9, 10, 11 Pack Size: 120 in a carton

IDEAL APPLICATIONS

- General Purpose

The Flex Snug-Pluz glove is designed for use in a wide range of handling and carrying applications. The natural rubber coating delivers excellent overall mechanical performance for maximal protection and durability. The Latex crinkle finish gives the glove excellent grip in both dry and wet conditions. High flexibility & comfort, longer cuff gives more protection for workers.



FLEX



LIME

MICRO FOAM LATEX COATED

CODE: G048 **SIZE: 8-11**



The Lime Pioneer Flex glove also features a micro foam latex coating material, which provides a superior grip and excellent protection against cuts and punctures. The coating material is applied to the palm and fingers of the glove, ensuring a secure grip on tools and equipment. The fluorescent lime and black color scheme of the glove offers increased visibility, making it easier to spot in low-light conditions and improving overall safety.

PRODUCT DESCRIPTION

Item Code	G048
Construction	Knitted
Gauge	13
Linear Material	Polyester
Coating Material	Micro Foam Latex
Finishing	Palm coated, cuff style - knit wrist
Colour	Fluorescent Lime & black
Mechanical	EN388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, bases, solvents not suitable
Heat & Cold	Not suitable
Risk Category	II EN size: 8,9,10,11 Pack size: 120 in a carton

IDEAL APPLICATIONS

inspection
light fabrication
small parts assembly & handling
Automotive
shipping & receiving
packaging



THERMO GRIP

CRINKLE LATEX 3/4 COATED

CODE: G074 **SIZE: 10**



The Pioneer Safety Thermo-Grip Flex glove is a high-quality safety glove designed to provide excellent insulation from cold conditions while ensuring maximum comfort and grip. This glove is specially designed to retain flexibility in temperatures as low as -20°C, making it an ideal choice for use in cold environments. The glove is lined with a terry cloth material that provides a soft and comfortable feel against your skin.

PRODUCT DESCRIPTION

Item Code	G074
Construction	Knitted
Gauge	13
Linear Material	Terry Loop Cloth
Coating Material	Crinkle Latex
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Orange & Blue
Mechanical	EN388 Abrasion Lv4, Cut Lv2, Tear Lv3, Puncture Lv1
Chemical	Acids, bases, solvents not suitable
Heat & Cold	Not suitable
Risk Category	II EN Size: 10 Pack Size: 120 in a carton

IDEAL APPLICATIONS

- Outdoor Construction Work
- Shipping & Receiving
- Public Maintenance
- Refrigeration & Cooling Plants
- Refuse Collection





OPTIMA

GLOVE



CODE: G106 | SIZE: 8-11

Optima Flex has a palm nitrile coating and a 15 gauge nylon liner with spandex. It has excellent durability, and prevents oil leakage through the palm. It also allows easy hand movement, provides excellent coolness and flexibility. Provides a controlled grip in wet and difficult oily applications in non hazardous chemical environments.

PRODUCT DESCRIPTION

Item Code	G106
Construction	Knitted
Gauge	15
Liner Material	Nylon Spandex
Coating Material	Nitrile
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Black & Grey
Mechanical	Abrasion Lvl3, Cut Lvl, Tear Lvl5, Puncture Lvl
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not suitable
Risk Category	II

EN Size: 9 - 9 - 10 - 11 Pack Size: 120 in a carton

IDEAL APPLICATIONS

- Electronics
- Small Parts Assembly & Handling
- Chip & Circuit Board
- Automotive Assembly



TANK

GLOVE



CODE: G128 | SIZE: 8-11

Optima Flex has a fully dipped nitrile coating and a 15 gauge nylon liner with spandex. It has excellent durability, and prevents oil leakage through the palm. It also allows easy hand movement, provides excellent coolness and flexibility. Provides a controlled grip in wet and difficult oily applications in non hazardous chemical environments.

PRODUCT DESCRIPTION

Item Code	G128
Construction	Knitted
Gauge	15
Liner Material	Poly Cotton
Coating Material	Sandy Nitrile
Finishing	Fully Coated, Cuff Style - Knit Wrist
Colour	Black
Mechanical	En388 Abrasion Lvl4, Cut Lvl, Tear Lvl3, Puncture Lvl
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not suitable
Risk Category	II

EN Size: 9 - 9 - 10 - 11 Pack Size: 120 in a carton

IDEAL APPLICATIONS

- Assembly
- General Site/Factory Maintenance
- Metal Fabrication
- Quality Control
- Light Metal Fabrication & Handling





OIL GRIPA

GLOVE

CODE: G114 | SIZE: 8-11

Flex Oil Gripa with a seamless knitted 15 gauge nylon liner with a double nitrile coating which delivers excellent grip in dry, wet and oily conditions. Double coating technology provides durability and high resistance to abrasion, yet the unique soft finish offers great dexterity and flexibility with minimal hand fatigue.

PRODUCT DESCRIPTION

Item Code	G114
Construction	Knitted
Gauge	15
Liner Material	Nylon
Coating Material	Double Nitrile
Finishing	Fully Coated, Cuff Style - Knit Wrist
Colour	Blue, Black and White
Mechanical	EN388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not suitable
Risk Category	II
	EN Size: 8,9,10,11 Pack Size: 120 in a carton

IDEAL APPLICATIONS

Handling in wet conditions
Controlled grip under oily and slippery conditions

Chip and circuit board manufacturing
Automotive Assembly





HYTOUCH

GLOVE



CODE: G112 | SIZE: 7-11

Flex Hytouch gloves provides just the right level of protection, while providing the ultimate 'second skin' feel. The special formulation of the super micro foamed Nitrile coating gives the gloves dexterity and enhanced wet or dry grip. Advanced knitting technology allows increased stretch and flexibility in high stress areas. The hand operates more freely, improving comfort and reducing hand fatigue.

PRODUCT DESCRIPTION

Item Code	G112
Construction	Knitted
Gauge	16
Liner Material	Nylon, Spandex
Coating Material	Super Micro Foamed Nitrile
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Dark Blue & Black
Mechanical	EN388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not suitable
Risk Category	II

EN Size: 7,8,9,10,11 Pack Size: 120 in a carton

IDEAL APPLICATIONS

- Assembling Small & Medium Parts
- General Handling
- Screening & Unscreening
- Warehouse Work
- Irrigation Work



Oil Grip



Abrasion Resistant



Multi-purpose



Breathable



Nitrile



Flexible



LOTUS 172

CODE: G109 | SIZE: 8-11

The Flex Lotus glove with nitrile dipping prevents oil penetration through the glove. Good abrasion resistance. Fluorescent colour attracts attention in order to reduce the risk during work.

PRODUCT DESCRIPTION

Item Code	G109
Construction	Knitted
Gauge	13
Liner Material	Polyester
Coating Material	Sandy Nitrile
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Fluorescent Lime & Black
Mechanical	EN388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not suitable
Risk Category	II

EN Size: 8,9,10,11 Pack Size: 120 in a carton

PRODUCT DESCRIPTION

- Inspection
- Shipping & Receiving
- Light Fabrication
- Packing
- Small Part Assembly & Handling
- Tools & Handling
- Oil & Gas Industry



Oil Grip



Abrasion Resistant



Multi-purpose



Breathable



Nitrile





GREY NYLON

3/4 DIPPED NITRILE



CODE: G108 | SIZE: 10

PRODUCT DESCRIPTION	
material	nylon
construction	knitted
usage	IT
liner material	nylon
coating material	nitrile
finishing	2/3 coated, cut edge - cut wrist
colour	grey & black
mechanical	EN 388: A2000 (L1), C10 (L1), T40 (L1), P1000 (L1)
chemical	acid, alkali, solvent not release
heat & cold	not release
skin category	II

- APPLICATIONS**
- general work
 - coating
 - wire industry
 - steel mill production
 - loading & unloading
 - casting application
 - waste recycling



NITROX

NITRILE PALM DIPPED



CODE: G019 | SIZE: 7-10

PRODUCT DESCRIPTION	
material	cotton
construction	knitted
usage	IT
liner material	polyester
coating material	nitrile coating
finishing	2/3 coated, cut edge - cut wrist
colour	grey & white
mechanical	EN 388: A2000 (L1), C10 (L1), T40 (L1), P1000 (L1)
chemical	acid, alkali, solvent not release
heat & cold	not release
skin category	II

- APPLICATIONS**
- general work
 - assembly



LITE-PRO

GLOVE



CODE: G110 | SIZE: 8-11

Flex Lite-Pro with an ultra thin stretched nylon liner dipped in Polyurethane offer maximum tactile sensitivity. The special formulation of the Polyurethane coating gives flexibility and fit, as well as secure grip on dry to slightly oily pieces for sure handling in a wide range of environments. Fluorescent colour attracts attention to reduce the risk during work.

PRODUCT DESCRIPTION	
material	cotton
construction	knitted
usage	IT
liner material	nylon
coating material	polyurethane
finishing	2/3 coated, cut edge - cut wrist
colour	fluorescent lime and black
mechanical	EN 388: A2000 (L1), C10 (L1), T40 (L1), P1000 (L1)
chemical	acid, alkali, solvent not release
heat & cold	not release
skin category	II

- APPLICATIONS**
- general work
 - assembly
 - steel mill production & loading
 - coating



STAY PROTECTED AND STAY PRODUCTIVE WITH PIONEER FLEX GLOVES

PIONEERSAFETY



PIONEER SAFETY
EN388 EN407
4144 41314X
G097
CE

PREMIUM LEATHER GLOVES

TOUGH

GENERAL CRITERIA FOR LEATHER GLOVES

Choosing the right products is always important to make the workplace productive but also safe. The factors to consider include one or more of the following arguments:

- Protection: resistant to heat, flame, molten splashes, UV, electric and punctures.
- Health: value of PH, chromium, PCP or other substances that need to be within limits.
- Durability: value of abrasion resistance, tensile strength, tear resistance, heat related, dimensional change resistance, reinforced seam and stress point as well as thread strength and flame resistance.
- Comfort: the right size, sizing and fit, dexterity, fingertip sensitivity, weight, sweat vapour transmission and absorption and climate and oil resistant.


TYPE OF LEATHER FOR WELDING GLOVES

TYPE	FEATURES
Split cow leather	Heat and flame resistant, material breathes because of open structure, low priced.
Grain cow leather	Plyable and strong, water and oil resistant.
Suede pig leather	Soft and comfortable, lower priced than other leathers.
Grain deer leather	Fit and dexterity, very good comfort as well as water and oil resistant.
Grain goat leather	Fit and dexterity, light weight, very good comfort as well as water and oil resistant.
Grain bison leather	Fit and dexterity, very good comfort, high mechanical value as well as water and oil resistant.

LEATHER GRADES

Different portions of the hide of the animal have different characteristics:

- The side offers the best strength and most constant quality.
- The shoulders are for good strength and plyability.
- The belly is the lowest in quality but also the most economical.



DIFFERENT SEWING OF THUMB

STRAIGHT THUMB	WING THUMB	KEYSTONE THUMB
		
For extra sensitivity and/or extra welding gun grip.	For seamless palm durability.	For comfortable fit.



Kevlar®



Tough



Heat Resistant



SPARK

WELDING GLOVE KEVLAR

CODE: G097



Premium welders glove that provide maximum protection in conditions when exposed to heat, flame or spark. The Kevlar® stitching ensures sturdy seams with respect to the heat and wear as well as better thermal insulation. The reinforced palm and thumb in split leather increases the glove's durability.

PRODUCT DESCRIPTION

Item Code	G097	
Construction	Cut and Sewn	
Liner Material	Cotton, A/B Grade cowhide split leather, Kevlar®	
Cuff Style	Gauntlet	
Colour	Green & Yellow	
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv4	
Cold	Suitable for general application	
Risk Category	II	
En Size	10, 40cm	Pack Size: 60 per carton

HEAT EN407

Burning Behaviour	LV4
Contact	LV1
Convective	LV3
Radiant	LV1
Small Melting Metal	LV4

HEAT

- Welding & Heat Application
- General Purpose Requiring Heat
- Flame & Spark Protection



8" SUPA

HEAT RESIST GLOVE - ELBOW

CODE: G2028



With a soft foam palm and a cotton denim cuff, the glove is comfortable to wear. The glove is suitable for a large number of applications which require operating machinery and working in environments with a risk of heat or molten splash. Seams are made in Kevlar®, apron palm is sewn for more protection on fingers, velcro attachment closes the cuff off from heat.



Kevlar®



Tough



Heat Resistant

PRODUCT DESCRIPTION

Item Code	G2028
Construction	Cut and Sewn
Liner Material	Denim A/B Grade cowhide split leather, Kevlar® stitch
Cuff Style	Turned Leather hems with Velcro close
Colour	Red
Mechanical	En388 Abrasion Lv4, Cut Lv2, Tear Lv4, Puncture Lv4
Cold	Suitable for general application
Risk Category	II
En Size	10, 40cm Pack Size: 60 per carton

HEAT RESISTANCE

Burning Behaviour	Lv4
Contact	Lv1
Convective	Lv3
Radiant	Lv1
Molten Metal	Lv4

IDEAL APPLICATIONS

Welding & Heat Application
General Purpose Application
Requiring Heat
Flame & Spark Protection



LINED WELDING

A GRADE - WELDING GLOVE

CODE: G200

General purpose welding glove made of heat and flame resistant shoulder split cow hide. Glove includes a full sock lining for added comfort and Kevlar® stitching with welted seams for added durability.

PRODUCT DESCRIPTION

Item Code	G200
Construction	Cut and Sewn
Liner Material	Denim, A/B Grade cowhide split leather
Cuff Style	Turned Leather Hems
Colour	Blue
Mechanical	EN388 Abrasion Lv4, Cut Lv2, Tear Lv4, Puncture Lv4
Cold	Suitable for general application
Risk Category	II
En Size	10, 45cm
	Pack Size: 60 per carton

PRODUCT DESCRIPTION

- Burning behaviour Lv4
- Contact Lv1
- Convective Lv3
- Radiant Lv1
- Small drops molten metal Lv4

PRODUCT DESCRIPTION

- Welding & Heat Application
- General Purpose Application Requiring Heat



AIR CUSHIONED

WELDING GLOVE - KEVLAR CODE: G100

Air cushioned lining that is flame retardant and sweat absorbent providing extra insulation for incomparable comfort. The kevlar thread assembly ensures sturdy seams with respect to the heat and wear as well as better thermal insulation. The reinforced palm in split leather increases the gloves durability.

PRODUCT INFO

Item Code	G100
Construction	Cut & Sewn
Liner Material	Fluorocarbon, & Grade cowhide split leather, Kevlar®
Cuff Style	Casual
Colour	Blue & Gray
Mechanical	EN388 Abrasion Lv4, Cut Lv1, Tear Lv1, Deformation Lv1
Chemical	Acids, Bases, Solvents not suitable
Cold	Suitable for General Application
Risk Category	II EN Size 10, 45cm Pack Size: 60 in a carton

NOT

- Burning behaviour Lv1
- Contact Lv1
- Convective Lv1
- Radiant Lv1
- Small drops molten metal Lv1
- Large drops molten metal Lv1

NOT APPLICABLE

- Welding & Heat Application
- General Purpose Application Requiring Heat



AIR CUSHIONED

WELDING GLOVE - KEVLAR CODE: G098

Premium welders glove provides maximum protection in conditions when exposed to heat, flames or sparks. Air cushioned lining that is flame retardant and sweat absorbent providing extra insulation for incomparable comfort. The kevlar thread assembly ensures sturdy seams with respect to the heat and wear as well as better thermal insulation. The reinforced palm in split leather increases the gloves durability.

PRODUCT INFO

Item Code	G098
Construction	Cut & Sewn
Liner Material	Denim, Cotton, & B/C cowhide split leather, Kevlar®
Cuff Style	Turned Leather Hems
Colour	Red & Black
Mechanical	EN388 Abrasion Lv4, Cut Lv1, Tear Lv1, Deformation Lv1
Chemical	Acids, Bases, Solvents not suitable
Cold	Suitable for General Application
Risk Category	II EN Size 10, 45cm Pack Size: 60 in a carton

NOT

- Burning behaviour Lv1
- Contact Lv1
- Convective Lv1
- Radiant Lv1
- Small drops molten metal Lv1
- Large drops molten metal Lv1

NOT APPLICABLE

- Welding & Heat Application
- General Purpose Application Requiring Heat



Step up your game with
AIR-CUSHIONED COMFORT!





WELDER 144



PREMIUM COWSPLIT LINED WELDING GLOVE

CODE: G144

The Premium Welder 144 glove provides comfort and flexibility. Easy to wear during long working hours. Cow split leather is soft and comfortable. The long cuff provides extra protection. The glove offers excellent abrasion, tearing and puncture resistance, as well as temperature resistant.

PRODUCT DESCRIPTION

Item Code	G144
Construction	Cut & Sewn
Inner Material	Palm Jersey - Cuff Jean
Finishing	Leather Palm, Leather Re-Enforced Palm
Cuff Style	Long Cuff
Colour	Yellow
Mechanical	En388 Abrasion Lv3, Cut Lv2, Tear Lv4, Puncture Lv3
Chemical	Acids, Bases, Solvents not suitable
Cold	For Normal Welding Heat
Risk Category	II
EN Size	10
Pack Size: 36 per carton	

IDEAL APPLICATIONS

- Welding
- Wire Operations
- Inspection
- Tools & Instruments



Tough



Heat Resistant



Kevlar®



WELDER 145



PREMIUM COWSPLIT WELDING GLOVE

CODE: G145

The Premium Welder 145 gloves provides comfort and flexibility. It is easy to wear during long working hours. Cow split leather is soft and comfortable and the extra long cuff offers more protection to the wearer. It has good abrasion, tearing and puncture resistance. High temperature resistance and good insulation.

PRODUCT DESCRIPTION

Item Code	G145
Construction	Cut & Sewn
Inner Material	Palm Jersey - Cuff Jean - Kevlar Selected
Cold	Suitable for general applications
Cuff Style	Long Cuff
Colour	Yellow
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv2, Puncture Lv3
Chemical	Acids, Bases, Solvents not suitable
Heat	For Normal Welding Heat
Risk Category	II
EN Size	9,10
Pack Size: 36 per carton	

IDEAL APPLICATIONS

- MIG/TIG Welding & Heat
- General Purpose Application
- Flame & Spark Protection



Tough



Heat Resistant



Kevlar®

TOUGH JOBS REQUIRE TOUGH GLOVES



TIG WELDING



A GRADE - GLOVE | **CODE: G300**

The Tig glove construction pattern offers an excellent fit and the material used are specially processed for excellent pliability. The gloves are sewn with Kevlar threads for better protection against blains and spatter burnout. The glove is sewn with a reinforced thumb strap for added durability. An extra long cuff offers wrist and forearm protection against contact heat.

PRODUCT DESCRIPTION	
Item Code	G300
Construction	Cut & Sewn
Cold	Suitable for General Application
Liner Material	Denim, Cotton, A/B Grade cowhide split leather, Kevlar® stitch
Cuff Style	Turned Leather home
Colour	Yellow
Cold	Suitable for general application
Mechanical	EN388 Abrasion Lv3, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Gases, Solvents not suitable
EN Size	30
Risk Category	3

Pack Size: 60 in a carton

HEAT
- Burning behaviour Lv4
- Contact Lv1
- Convective Lv3
- Radiant Lv4
- Molten metal Lv4

IDEAL APPLICATIONS
- MIG/TIG Welding & Heat Application
- General Purpose Application Requiring Heat
- Flame & Spark Protection



VIP GOLD

GRAIN LEATHER

CODE: G071

Ideal for applications involving material handling, fitting and light duty welding. The gloves are rugged and highly durable. Made from thick, pliable top grain cow hide. The gloves are made from natural oil and weather resistant cow hide, which has the grain reversed to make them more comfortable. The gloves are very pliable with a soft top grain and a reinforced palm.

PRODUCT DESCRIPTION	
Item Code	G071
Construction	Cut & Sewn
Liner Material	Top Grain Cow Hide
Cuff Style	Wp On
Colour	Yellow
Mechanical	EN388 Abrasion Lv2, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Gases, Solvents Not Suitable
Cold	Not Suitable
Risk Category	3

EN Size 30 Pack Size 20 in a carton

IDEAL APPLICATIONS
- Material Handling
- Light Duty Work



DEERMAN

SPLIT LEATHER GLOVE


CODE: G146 | SIZE: L-XL

Pioneer Tough Deerman glove provides comfort and flexibility. It's easy to wear during long working hours. It offers a good abrasion, tearing & puncture protection. The glove is well insulated and effective in cold conditions.

PRODUCT DESCRIPTION	
Item Code	G146 G146 XL
Construction	Cut & Sewn
Liner Material	3M Thinsulate Liner
Cuff Style	elastic Cuff
Colour	Yellow
Mechanical	Abrasion Lv3, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Gases, Solvents Not Suitable
Cold	Suitable
Risk Category	3

EN Size 30 - 32 Pack Size 20 in a carton

IDEAL APPLICATIONS
- Winter Welding
- Heavy Operation
- Inspection
- Tools & Instruments





RIGGER 147

PREMIUM COW GRAIN LEATHER REINFORCED

CODE: G147

Pioneer Rigger provides comfort and flexibility, its easy to wear during long working hours. The white cowhide leather is soft and comfortable and the black mesh on the back of the glove offers good ventilation.

PRODUCT DESCRIPTION	
item code	0147
construction	CWA & SEW
liner material	Cowhide Leather
cuff style	elastic cuff
colour	black & white
mechanical	abrasion LVA, cut LVA, tear LVA, puncture LVA
chemical	acids, alcohols, solvents not suitable
heat	not suitable
cold	not suitable
risk category	1

IDEAL APPLICATIONS

- Assembly
- Handling Sharp Objects
- Wiring Operations
- Tools & Instruments
- Inspection



RIGGER 143

PREMIUM COW GRAIN LEATHER PALM

CODE: G143

Pioneer Tough Rigger glove provides comfort and flexibility, it features a light yellow cow grain leather, one piece palm, natural drill cotton fabric back and a rubberized cuff and a palm lined.

DURABILITY MEETS COMFORT

TOUGH GOT YOU COVERED



TOUGH DEFENDER

PREMIUM CHROME LEATHER

CODE: GDF02

A Grade chrome leather glove for general handling and welding application.

PRODUCT DESCRIPTION	
item code	0143
construction	CWA & SEW
liner material	unil red
cuff style	open cuff
colour	grey
mechanical	abrasion LVA, cut LVA, tear LVA, puncture LVA
chemical	acids, alcohols, solvents not suitable
heat	not suitable
cold	not suitable
risk category	1

IDEAL APPLICATIONS

- Assembly
- Handling Sharp Objects
- Welding Operations
- Tools & Instruments
- Inspection



PIONEERSAFETY

LEATHER

Leather is a traditional material for gloves that is waning in popularity, but still has applications in general industry due to its relative low cost, abrasion resistance, and ability to withstand high temperatures and hazards such as weld spatter. There are many different types and grades of leather available, and care is needed to ensure the desired level of performance is achieved.

**POWER
PRECISION
PROTECTION**

ELEVATE YOUR SAFETY GAME WITH **LEATHER GLOVES**



CANDY STRIPE

CHROME LEATHER

CODE: G005



2.5" CHROME

LEATHER WITH REFLECTIVE TAPE BACK

CODE: G003



DENIM STRIPE

CHROME LEATHER - GREEN CUFF

CODE: G009

RIGGER SUPERIOR

CANDY STRIPE

CODE: G010



SAFETY REDEFINED // // // // // // // // // //

Experience the exceptional quality of Pioneer Safety Gloves Leather gloves. These best-selling gloves offer split leather construction with patch palm and vein protection. Enjoy enhanced comfort and ventilation with a cotton backing.

PRODUCT DESCRIPTION

Item Code	G005 - G003 - G009 - G010
Construction	Cut and Sewn
Liner Material	Cowhide split leather, Cotton
Cuff Style	Safety
Colour	Chrome leather; Blue, Orange and Green
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	10 Pack Size: 120 per carton

IDEAL APPLICATIONS

- *General Purpose Handling Application*



GRAIN PIG SKIN

TIG VIP

CODE: G012-XL

Pig skin TIG gloves are specially designed gloves made from high-quality materials to provide exceptional comfort and protection during Tungsten Inert Gas (TIG) welding. The gloves are crafted using superior pigskin leather, known for its durability and flexibility, making them suitable for the demanding conditions of welding and high-heat industries.

UNLEASH PRECISION
IN WELDING!



GRAIN PIG SKIN

EXTENDED CUFF

TIG VIP

CODE: G072

PRODUCT DESCRIPTION

Item Code	G012-XL G072	
Construction	Cut and Sewn	
Liner Material	Tan Dyed Pig Skin	
Cuff Style	Guanlet & Band Cuff	
Colour	Tan	
Chemical	Acids, Bases, Solvents not suitable	
Risk Category	II	
EN Size	10	Pack Size: 120 per carton

IDEAL APPLICATIONS

- General Purpose Handling Application
- Welding Application



VIP GOAT SKIN

A GRADE - SIZE 7-12

CODE: G012-1



VIP GOAT SKIN

A GRADE EXTENDED CUFF ELBOW

CODE: G012-2

PIONEERSAFETY

PRODUCT DESCRIPTION

Item Code	G012-1 G012-2	
Construction	Cut and Sewn	
Liner Material	A Grade Goat Skin - Cotton	
Cuff Style	Gauntlet & Band Cuff	
Colour	Grey	
Mechanical	EN388 Abrasion LV4, Cut LV1, Tear LV2, Puncture LV2	
Chemical	Acids, Bases, Solvents not suitable	
Risk Category	II	
EN Size	7-12	Pack Size: 120 per carton

MASTER THE ART OF

PRECISION WELDING!

Goat skin TIG gloves are made from superior materials for comfort and protection. These TIG gloves have a fit proven in welding and high heat industries to offer the best fingertip sensitivity for precision welding. These gloves are made for Tungsten Inert Gas welding.



PRODU

- General Purpose Handling Application
- Welding Application



FREEZER PIGSKIN

FLEECE LINER - WINTER GLOVE

CODE: G052



PRODUCT DESCRIPTION

Item Code	G052
Construction	Cut and Sewn
Linier Material	Cotton Fleece & Grain Pig Skin
Cuff Style	Slip On
Colour	Tan
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv2
Chemical	Not Suitable
Cold	Suitable for General Application
EN Size	TL Pack Size: 60 per carton

IDEAL APPLICATIONS

- General Purpose Handling Application
- Welding Application

LeatherGloves

NAPPA GLOVE

YELLOW COWHIDE GLOVE

CODE: G025



COWHIDE LEATHER

PRODUCT DESCRIPTION

Item Code	G025
Fabric	Cowhide Leather
Size	Standard - Size 10
Colour	Yellow
Style	Wrist Length

IDEAL APPLICATIONS

- TIG Welding
- General Purpose Handling Application





G1040



G1028



G029

PIONEERSAFETY

HEAT RESIST

RED - KEVLAR STITCHED

With a soft inner jersey palm lining and a cotton denim cuff, the glove is comfortable to wear. The glove is suitable for a large number of applications requiring heat resistance, including welding, operating machinery and working in environments with a high risk of heat or molten splash.



PRODUCT DESCRIPTION

Item Code	G1040 - G1028 - G029
Construction	Cut and Sewn
Liner Material	Denim, Cotton, A/B Grade cowhide split leather, Kevlar stitched
Cuff Style	Turned Leather Hems
Colour	Red
Mechanical	En388 Abrasion Lv4, Cut Lv2, Tear Lv4, Puncture Lv4
Cold	Suitable for general application
Risk Category	II
En Size	10

Pack Size: 60 per carton

IDEAL APPLICATIONS

- Welding Application
- General Purpose Handling

HEAT EN407

- Burning Behaviour Lv4
- Contact Lv1
- Convective Lv3
- Radiant Lv1
- Molten Metal Lv4



G023

G022

G022-S

PIONEERSAFETY

GREEN LINED

WELDING GLOVE

Green lined leather gloves. Fully lined and cotton piping providing comfort and support. General purpose welding and handling glove



PRODUCT DESCRIPTION

Item Code	G023 G022 G022-S	
Construction	Cut and Sewn	
Liner Material	B Grade cowhide leather, Cotton Jersey	
Cuff Style	Turned Leather hems	
Colour	Dark Green	
Mechanical	EN388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv4	
Chemical	Acids, Bases, Solvents not suitable	
Risk Category	II	
EN Size	10	Pack Size: 60 per carton

IDEAL APPLICATIONS

- General Purpose Handling Application
- Welding Application

HEAT

EN407

- Burning Behaviour Lv4
- Contact Lv1
- Convective Lv3
- Radiant Lv1
- Molten Metal Lv4



G1026



G022R

PIONEERSAFETY

REINFORCED

WELDING GLOVE

A/B grade lined leather glove. Fully lined and cotton piping providing comfort and support. General purpose handling and welding glove. Reinforced palm for added protection.



PRODUCT DESCRIPTION	
Item Code	G1026 G022R
Construction	Cut and Sewn
Liner Material	A/B Grade cowhide leather, Cotton Jersey
Cuff Style	Turned Leather hems
Colour	Blue/Green
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv4
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	10 Pack Size: 60 per carton

IDEAL APPLICATIONS	
• General Purpose Handling Application	
• Welding Application	

HEAT		EN407
• Burning Behaviour	Lv4	
• Contact	Lv1	
• Convective	Lv3	
• Radiant	X	
• Molten Metal	Lv3	



G030



G006



G006-S

PIONEERSAFETY

CHROME LEATHER

GLOVE

Chrome leather glove for general purpose handling and welding application.



PRODUCT DESCRIPTION	
Item Code	G030 G006 G006-S
Construction	Cut and Sewn
Liner Material	Unlined
Cuff Style	Open Cuff - Gauntlet
Colour	Grey
Mechanical	EN388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv4
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	10

IDEAL APPLICATIONS
• General Purpose Handling Application
• Welding Application

PACKING SIZE
G030: 120 per carton
G006: 60 per carton
G006-S: 60 per carton



G005-AP



G006-AP

PIONEERSAFETY

CHROME LEATHER APRON PALM

Chrome leather glove for general purpose handling and welding application.



PRODUCT DESCRIPTION

Item Code	G005-AP G006-AP	
Construction	Cut and Sewn	
Liner Material	Unlined	
Cuff Style	Open Cuff - Gauntlet	
Colour	Grey	
Mechanical	EN388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv4	
Chemical	Acids, Bases, Solvents not suitable	
Risk Category	II	
EN Size	10	Pack Size: 60 per carton

IDEAL APPLICATIONS

- General Purpose Handling Application
- Welding Application

BLUE LINED

WELDING GLOVE



PRODUCT DESCRIPTION

Item Code	G004-A
Construction	Cut and Sewn
Inner Material	Cotton
Cuff Style	Turned Leather Hems
Colour	Blue
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv4
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	10
	Pack Size: 60 per carton

IDEAL APPLICATIONS

- General Purpose Handling Application
- Welding Application

HEAT

EN407

- Burning Behaviour Lv4
- Contact Lv1
- Convective Lv3
- Radiant Lv1
- Molten Metal Lv4

PIONEERSAFETY

CHROME LEATHER FLEECE LINED

Chrome leather wrist, light fleece lined winter glove

PRODUCT DESCRIPTION

Item Code	G1041
Construction	Cut and Sewn
Inner Material	Fleece
Cuff Style	Turned Leather Hems
Colour	Grey
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv4
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	10
	Pack Size: 72 per carton

IDEAL APPLICATIONS

- General Purpose Handling Application
- Welding Application



HEAT

EN407

- Burning Behaviour Lv4
- Contact Lv1
- Convective Lv3
- Radiant Lv1
- Molten Metal Lv4





VIP PIGSKIN

SPLIT LEATHER

PRODUCT DESCRIPTION

Item Code	G012-P
Construction	Cut and Sewn
Liner Material	Split Leather
Cuff Style	Band Cuff
Colour	Tan
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	10

Pack Size: 120 per carton

IDEAL APPLICATIONS

• General Purpose Handling Application

PIONEERSAFETY

CANDY STRIPE PIG SKIN

PRODUCT DESCRIPTION

Item Code	G002-PP
Construction	Cut and Sewn
Liner Material	Unlined
Cuff Style	Safety Cuff
Colour	Tan
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	10

Pack Size: 120 per carton

IDEAL APPLICATIONS

• General Purpose Handling Application





FURNITURE

LEATHER GLOVE

PRODUCT DESCRIPTION

Item Code	G012-3
Construction	Cut and Sewn
Liner Material	Leather
Cuff Style	Band Cuff
Colour	Bolga
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	10

Pack Size: 120 per carton

IDEAL APPLICATIONS

• General Purpose Handling Application

PIONEERSAFETY

PIG SKIN DRIVER GLOVE



PRODUCT DESCRIPTION

Item Code	G020
Construction	Cut and Sewn
Liner Material	Unlined
Cuff Style	Velcro
Colour	White & Navy
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	10

Pack Size: 120 per carton

IDEAL APPLICATIONS

• General Purpose Handling Application

PVC SAFETY GLOVES

PVC is resistant to most fats, oils, acids, caustics and petroleum hydrocarbons, but PVC gloves are mostly sold as general purpose gloves, intended for numerous applications involving incidental exposure to a variety of low level chemical hazards. They are mostly supported gloves (dipped on a liner) which means that the PVC layer is of variable thickness, which in turn means that the glove's chemical resistance varies from one part of the glove to another. PVC is a very versatile and inexpensive polymer and supported PVC gloves are available in a wide range of styles, finishes and colours. Suitable for many applications including petrochemical, construction, fishing, cold storage etc.

PVC

TITAN *HI-VIS PVC*



27CM - G094



27CM - G091



35CM - G095



35CM - G092

HIGH-QUALITY PVC MATERIAL - COMFORTABLE DESIGN - REINFORCED CONSTRUCTION - HIGH VISIBILITY

TITAN HI-VIZ REINFORCED PVC GLOVE

The heavy-duty PVC construction of our gloves offers excellent resistance against a wide range of chemicals and liquids, ensuring enhanced protection for users in various industrial settings. Additionally, these gloves deliver a high level of abrasion resistance, making them well-suited for general handling tasks where durability is crucial. With options available in various lengths, our gloves are adaptable to different applications, providing versatile and reliable hand protection for diverse work environments.

PRODUCT DESCRIPTION

Item Code	G094 G091 G095 G092
Construction	Cut, Sewn & Dipped
Liner Material	Cotton
Cuff Style	Gauntlet
Colour	Neon Green & Red
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	10, 27cm, 35cm

Pack Size: 72 per carton

IDEAL APPLICATIONS

- General purpose handling application
- Construction
- Mining
- Handling abrasive materials coated with grease and oil





TITAN HI-VIZ PVC GLOVE

SMOOTH PALM

PRODUCT DESCRIPTION

Item Code	G090
Construction	Cut, Sewn & Dipped
Liner Material	Cotton
Cuff Style	Knit Wrist
Colour	Neon Green
Mechanical	EN388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	10

Pack Size: 120 per carton

IDEAL APPLICATIONS

- General purpose handling application
- Construction
- Mining
- Handling abrasive materials coated with grease and oil



HIGH-QUALITY PVC MATERIAL - COMFORTABLE DESIGN - HIGH VISIBILITY

TITAN HI-VIZ PVC GLOVE

TERRY PALM

PRODUCT DESCRIPTION

Item Code	G093
Construction	Cut, Sewn & Dipped
Liner Material	Cotton
Cuff Style	Knit Wrist
Colour	Neon Green
Mechanical	EN388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	10

Pack Size: 72 per carton

IDEAL APPLICATIONS

- General purpose handling application
- Construction
- Mining
- Handling abrasive materials coated with grease and oil



RED MEDIUM WEIGHT PVC SMOOTH PALM GLOVE



WRIST - G013



27CM - G014



35CM - G016



40CM - G015



SHOULDER - G016-S

UNBEATABLE GRIP, ULTIMATE PROTECTION.

PVCGLOVE

RED MEDIUM WEIGHT

Our Red Medium Weight PVC gloves are designed to deliver exceptional performance. With outstanding abrasion-resistance, they excel in both wet and dry applications. They are built to withstand temperatures from 4°C to 66°C, making them versatile for various working conditions. The interlocked lining ensures excellent dexterity, while the slip-on cuffs allow for easy donning.

PRODUCT DESCRIPTION

Item Code	G013 G014 G016 G015 G016-S	
Construction	Cut, Sewn & Dipped	
Liner Material	Polyester	
Cuff Style	Gauntlet and Knit Wrist	
Colour	Red	
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Risk Category	II	
EN Size	10, 27cm, 35cm, 40cm and 55cm	Pack Size: 120 per carton

IDEAL APPLICATIONS

• General Purpose Handling Application



Abrasion Resistant



Oil Grip



PVC



Water Resistant



RED TERRYCLOTH PALM PVC GLOVE



WRIST - G013-G



27CM - G014-G



35CM - G016-G

RED TERRYCLOTH PALM

The PVC gloves with red terrycloth palm is designed for superior hand protection. They feature a single dipped construction with a terrycloth lining, providing a comfortable and absorbent palm. The gloves have a rough finish, ensuring outstanding abrasion resistance for both wet and dry applications. They excel in environments with rough surfaces and abrasive materials, offering excellent durability and protection against wear and tear. These gloves are designed to function well between temperatures of -4°C to 66°C, making them suitable for a wide range of working conditions.

PRODUCT DESCRIPTION

Item Code	G013-G G014-G G016-G
Construction	Cut and Sewn Fully Dipped
Liner Material	Terrycloth
Cuff Style	Gauntlet and Knit Wrist
Colour	Red
Mechanical	EN388 Abrasion Lv4, Cut Lv2, Tear Lv3, Puncture Lv1
Chemical	Acid, Base, Solvents suitable for general application
Risk Category	II
EN Size	10, 27cm, 35cm

Pack Size: 72 per carton

IDEAL APPLICATIONS

• Handling acids, oils, fats, caustics and petroleum hydrocarbons



Abrasion
Resistant



Oil Grip



PVC



Water Resistant



HEAVY DUTY



WRIST - G096



27CM - G077



35CM - G078



40CM - G079

- Extra PVC single grip construction with a smooth finish
- Outstanding abrasion resistance for both wet and dry applications
- PVC material functions well between temperatures of -4°C to 66°C
- Interlocking lining for good dexterity
- Excellent resistance to abrasion and tear

PACKING SIZE

G096:	120 Per Carton
G077:	72 Per Carton
G078:	72 Per Carton
G079:	72 Per Carton
G080:	72 Per Carton
G081:	50 Per Carton



Abrasion Resistant



Oil Grip



PVC



Water Resistant



Chemical



45CM - G080



60CM - G081

PRODUCT DESCRIPTION

Item Code	G096 G077 G078 G079 G080 G081
Construction	Cut and Sewn - Fully Dipped
Liner Material	Interlock Cotton
Cuff Style	Gauntlet and Knit Wrist
Colour	Brown
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	10, 27cm, 35cm, 40cm, 45cm & 60cm

IDEAL APPLICATIONS

- General handling used for heavy duty work where durability is required.





KNIT WRIST



Abrasion Resistant



Oil Grip



PVC



Water Resistant

BLACK CHIP PALM

CODE: G085

Small PVC granules at the palm provides good grip even in oily conditions.



PRODUCT DESCRIPTION

Item Code	G085
Construction	Knitted & Fully Dipped
Liner Material	Interlocked Cotton
Cuff Style	Knit Wrist
Colour	Black
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	10
Pack Size: 120 per carton	

IDEAL APPLICATIONS

- General Purpose Handling
- Construction
- Mechanical Industry
- Fishing Industry
- Mining



DOUBLE DIPPED

CODE: G088

Rugged, rough finish optimises abrasion resistance. Interlocking jersey lining for flexibility and moderate insulation to keep hands warm. Excellent resistance to abrasion and tear. Slip on cuff for easy donning.



Abrasion Resistant



Oil Grip



PVC



Water Resistant



PRODUCT DESCRIPTION

Item Code	G088
Construction	Cut, Sewn and Fully Dipped
Liner Material	Jersey Liner
Cuff Style	Gauntlet
Colour	Bottle Green
Chemical	Acids, Bases, Solvents Suitable
Risk Category	II
EN Size	10 - 40cm
Pack Size: 72 per carton	

IDEAL APPLICATIONS

- Refinery & Petro Chemical
- Construction
- Machining
- Abrasive materials coated with grease & oil
- Mining
- Caustics & Solvents

ORANGE HEAVY DUTY REINFORCED PVC GLOVE

REINFORCED PVC

27CM GLOVE

CODE: G630



UNCOMPROMISED PROTECTION!

- Extra PVC single dipped construction
- Smooth finish for a comfortable feel
- Outstanding abrasion-resistance for wet and dry applications
- PVC material functions well between temperatures of 4°C to 66°C
- Interlocked lining for good dexterity
- Slip-on cuffs for easy donning and removal
- Full palm reinforced
- Reinforced between thumb and index finger



PRODUCT DESCRIPTION

Item Code	G630 G631
Construction	Cut, Sewn and Dipped
Liner Material	Interlock Cotton with reinforced palm
Cuff Style	Gauntlet and Slip On
Colour	Neon Orange
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
EN Size	11 Pack Size: 120 per carton

IDEAL APPLICATIONS

- General Handling
- Metal Processing
- Mining Industry
- Forestry
- Oil Treatment
- Heavy Duty Work

REINFORCED PVC

35CM GLOVE

CODE: G631



Abrasion Resistant



Oil Grip



PVC



Water Resistant

**WRIST - G041****30CM - G041-30**

Abrasion Resistant



Oil Grip



PVC



Water Resistant



Cold

FREEZER GLOVE

KNITWRIST & OPEN CUFF | HIGH VISIBILITY

Warm, waterproof, oil and greasy repellent glove with brilliant fluorescent orange colour which allows glove to remain clearly visible even in dim and faded light.



EN388



EN11



PRODUCT DESCRIPTION

Item Code	G041 G041-30	
Construction	Cut, Sewn and Fully Dipped	
Liner Material	Cotton Jersey - PU Foam Insulation	
Cuff Style	Knit Wrist & Slip On	
Colour	Flourescent Orange	
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
EN Size	10 - 30cm	Pack Size: 72 per carton

IDEAL APPLICATIONS

- Cold Storage
- Road & Railside Construction site
- Hand Signaling
- Airfield Traffic Management
- Traffic Management
- Winter Transportation

FOAMED PVC

KNITWRIST

CODE: G620

Unique foam technology give the glove better adhesion, better grip and flexibility. Not only against mechanical risk but also chemical risks.



PRODUCT DESCRIPTION

Item Code	G620
Construction	Cut & Sewn & Dipped
Liner Material	Interlock Cotton
Cuff Style	Knit Wrist
Colour	Orange
Mechanical	EN388 Abrasion Lv3, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents suitable for general application
Risk Category	II
	CM Size: 10
	Pack Size: 120 in a carton

IDEAL APPLICATIONS

- General Purpose
- Chemical Processing & Preparation
- Metal Fabrication
- Refilling Oil & Petrol

MAXIMIZE YOUR PERFORMANCE



FOAMED PVC 27CM

OPEN CUFF

CODE: G621



FOAMED PVC 35CM

OPEN CUFF

CODE: G622

PRODUCT INFO

Item Code	G621
Construction	Cut, Sewn & Fully Dipped
Liner Material	Interlock Cotton
Cuff Style	Open Cuff
Colour	Orange
Mechanical	EN388 Abrasion Lv3, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents suitable for general application
Risk Category	II
	CM Size: 27cm
	Pack Size: 120 in a carton

IDEAL APPLICATIONS

- General Purpose
- Chemical Processing & Preparation
- Metal Fabrication
- Refilling Oil & Diesel



PRODUCT INFO

Item Code	G622
Construction	Cut, Sewn & Fully Dipped
Liner Material	Interlock Cotton
Cuff Style	Open Cuff
Colour	Orange
Mechanical	EN388 Abrasion Lv3, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents suitable for general application
Risk Category	II
	CM Size: 35cm
	Pack Size: 120 in a carton

IDEAL APPLICATIONS

- General Purpose
- Chemical Processing & Preparation
- Metal Fabrication
- Refilling Oil & Diesel






MULTI GLOVE

PVC

| CODE: G142



PRODUCT DESCRIPTION

Item Code	G142		
Construction	Fully Coated with Smooth PVC - Rubber Protection on Fingers & Handback		
Liner Material	Interlock Lining		
Cuff Style	Gauntlet		
Colour	Blue		
Mechanical	EN388 Abrasion Lv4, Cut Lv1, Tear Lv3, Puncture Lv1		
Chemical	Acids, Base, Solvents suitable for general application		
Risk Category	II	EN Size: 35cm	Pack Size: 60 In a carton

IDEAL APPLICATIONS

- Automotive
- Petroleum
- Mechanics
- Maintenance
- Agriculture
- Logistic Storage

NITRILE

Nitrile can be used for both supported and un-supported gloves, offering excellent protection against acids, bases, oil, solvents, esters, grease and animal fats. Nitrile is more resistant to snags, punctures abrasion and cuts than neoprene or PVC gloves, and unlike natural rubber gloves, contains no natural rubber proteins which can cause allergic reactions. Nitrile gloves are versatile and ideal for applications, including laboratories, automotive and aircraft part handling and assembly, plant cleaning, chemical processing, food processing, petroleum refining, dip tank operations, acid etching, painting, graphic arts, battery manufacturing, degreasing, electronics and pesticide handling.



GREEN NITRILE

GLOVE

CODE: G033

LENGTH: 33CM



Nitrile glove made from 100% high quality Nitrile with proprietary formula. Used in various kinds of oils, acids and alkaline solutions. Sun-proof, anti-friction and anti-wear.

PRODUCT DESCRIPTION

Item Code	G033
Coating Material	Nitrile
Liner Material	Cotton Flock Lined
Cuff Style	Gauntlet
Colour	Green
Chemical	Resistance to solvents and oil based chemicals
Risk Category	III EN Size: 7, 8, 9, 10, 11 Pack Size: 120 per carton

IDEAL APPLICATIONS

- High Protection Against Abrasion
- Best choice for handling fuels and cleanup in hazmat operations



BLUE NITRILE

HOUSEHOLD GLOVE

CODE: G604



UNLINED NITRILE GLOVE

PRODUCT DESCRIPTION

Item Code	G604
Coating Material	Nitrile
Liner Material	Unlined
Cuff Style	Straight Cut
Colour	Blue
Chemical	Acids, Bases, Solvents suitable for general application
Risk Category	II EN Size: S - M - L - XL Pack Size: 144 per carton

IDEAL APPLICATIONS

- General Purpose Handling Application
- General Industrial Cleaning
- Chemical Hazards
- Food Industry

NITRO-CHEM

SEMI-DIPPING TECHNOLOGY



TEST CHEMICAL	LETTER	PERMANENT CRACKS
Methanol	A	2
n-Heptane	J	3
Sodium Hydroxide 40%	K	4
Sulphuric Acid 96%	L	2

NITRILE

SANDY NITRILE | CODE: G148

The inner lining is seamlessly spliced with nylon, and the outside adopts nitrile micro foam full dipping technology, which is specially designed for oily environments, effectively preventing the penetration of oil stains, and has very good oil resistance; the palm adopts the unique semi-dipping technology of nitrile frosting, Giving gloves a better grip in wet applications.

PRODUCT DESCRIPTION

Item Code	G148
Coating Material	Sandy Nitrile
Liner Material	Nylon
Finishing	Palm Coated
Colour	Green
Chemical	Acids, Bases, Solvents suitable for general application
Mechanical	EN388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv2
EN Size	8 - 10
Risk Category	III

Pack Size: 120 per carton

IDEAL APPLICATIONS

- Automobile Assembly
- Construction Engineering
- Chemical Industry
- Mechanical Maintenance
- Janitorial & Environmental Cleanup
- Food Industry



Yellow Nitrile Fully Dipped
G084



Blue Nitrile Fully Dipped
G039



Blue Nitrile Fully Dipped
G040

NITRILE

COMFORT & FLEXIBILITY

NITRILE FULLY DIPPED

Introducing our fully dipped nitrile gloves, designed to provide exceptional hand protection and comfort. With a nitrile dipping that effectively prevents oil penetration, these gloves are perfect for tasks involving oils and greases. Not only do they offer good abrasion resistance for durability, but they also ensure optimum flexibility and comfort, allowing for natural hand movement and reducing fatigue. The elastic knit wrist guarantees a snug fit, while the glove's layer resistant to polluted pieces adds an extra layer of protection when handling potentially contaminated objects. Experience superior performance and peace of mind with our fully dipped nitrile gloves.

PRODUCT DESCRIPTION

Item Code	G084 G039 G040
Construction	Cut, Sewn & Fully Dipped
Liner Material	Cotton - Nylon
Cuff Style	Safety Cuff & Knit Wrist
Colour	Blue & Yellow
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents Not Suitable
Risk Category	II
EN Size	10

Pack Size: 120 per carton

IDEAL APPLICATIONS

- General Purpose Handling Application
- Chemical Hazards





Red Nitrile Palm Dipped
G021



Red Nitrile Palm Dipped
G089



Lime Nitrile Palm Dipped
G004

GO-WORK NITRILE PALM DIPPED GLOVE

General handling glove with Nitrile dipped palm gives the necessary hand protection with both comfort and grip at an inexpensive price.

PRODUCT DESCRIPTION

Item Code	G021 G089 G004
Construction	Knitted & Dipped
Liner Material	Polyester
Cuff Style	Knit Wrist
Colour	Red/Orange/Lime
Mechanical	En388 Abrasion Lv3, Cut Lv1, Puncture Lv1
Chemical	Acids, Bases, Solvents Not Suitable
Risk Category	II
EN Size	10

Pack Size: 120 per carton

IDEAL APPLICATIONS

- General Purpose Handling Application



NATURAL RUBBER

LATEX

Natural rubber is widely used for gloves because it is relatively inexpensive, and yet offers good resistance to certain groups of chemicals (such as acids). Rubber has good resistance to abrasion, cuts, tears, and punctures; rubber is very comfortable and provides excellent dexterity. Natural rubber can be an economical alternative to nitrile or neoprene. A negative aspect of natural rubber is that it contains proteins that can cause allergic reactions, so it is not recommended for everyone. Natural rubber also will swell and degrade in contact with various animal fats, oils and solvents.

BI-COLOR
NEOLATEX



Latex



Anti-slip



Water Proof



Chemical



Washable

EN 388:2016



2010X

EN ISO 22716:2010



EN ISO 374-1:2016



Type A

K.L.M.P.S.T

NEOLATEX

BI-COLOUR | CODE: G605

The Chemical Bi-Color Neo Latex glove is a durable and versatile option for industrial cleaning, workshops, and engineering tasks. Made from natural and chloroprene rubber, it provides excellent chemical resistance and is ideal for heavy equipment maintenance and general industrial cleaning. Its neoprene flock lining ensures comfort and absorbency, while the bi-color design allows for easy identification of any damage, enhancing safety in the workplace.

PRODUCT DESCRIPTION	
Item Code	G605
Material	Natural Rubber, Chloroprene Rubber
Grade	A
Cuff Style	Beaded
Colour	Yellow & Blue
Chemical	Acids, Bases, Solvents suitable for general application
Risk Category	III
EN Size	S - M - L - XL Pack Size: 144 per carton

PRODUCT SPECIFICATIONS	
Thickness	0.67 - 0.72 mm (29 +/- 1 mil)
Length	305 +/- 10 mm
Weight	S: 97 M: 109 L: 119 XL: 130 XXL-L: 142
Tensile Strength	10.0 MPa min
UNAGED	
AGED	7.5 MPa min
Elongation At Break	600% min
UNAGED	
AGED	375% min

IDEAL APPLICATIONS	
- Engineering & Workshop Cleaning	- General Industrial Cleaning
- Heavy Equipment Material	- Chemical Industry



Latex



Anti-slip



Water Proof



Chemical



Washable

EN 388:2016



2 1 2 1 X

EN ISO 3746:2016



EN ISO 22716:2016 Type 0



AKL

RUBBER FLOCKLINED

GLOVE | CODE: G606

Made of high quality rubber mainly used to protect your hands when performing important tasks using chemicals. These gloves protect your hands from harmful materials that may render harm to the skin.

PRODUCT DESCRIPTION

Item Code	G606
Material	Natural Rubber
Grade	A
Cuff Style	Beaded
Colour	Black
Chemical	Acids, Bases, Solvents suitable for general application
Risk Category	II
EN Size	L - XL

Pack Size: 144 per carton

PRODUCT SPECIFICATIONS

Thickness	0.79 - 0.94 mm (32 +/- 1 mil)
Length	330 +/- 10 mm
Weight	L: 130 / X-L: 147
Tensile Strength	5.0 MPa min
UNAGED	7.5 MPa min
AGED	
Elongation At Break	500% min
UNAGED	375% min
AGED	

IDEAL APPLICATIONS

- Engineering & Workshop Cleaning
- General Industrial Cleaning
- Heavy Equipment Material
- Chemical Industry



35CM - G042



55CM - G043



Latex



Anti-slip



Water Proof



Chemical



Washable

SAFEGUARD YOUR HANDS, CONQUER CHEMICALS WITH EASE.

INDUSTRIAL RUBBER

BLACK SMOOTH PALM GLOVE

A smooth rubber glove made of high quality rubber mainly used to protect your hands when performing important tasks using chemicals. These gloves protect your hands from harmful materials that may render harm to your skin.

PRODUCT DESCRIPTION

Item Code	G042 G043
Coating Material	Rubber Latex
Liner Material	Unlined
Cuff Style	Gauntlet
Colour	Black
Chemical	Acids, Bases, Solvents suitable for general application
Risk Category	II
EN Size	35cm - 55cm

IDEAL APPLICATIONS

- General Purpose Handling Application
- Chemical Hazards

PACK SIZE

- G042: 120 Per Carton
- G043: 60 Per Carton



35CM - G036-T



55CM - G036



Latex



Anti-slip



Water Proof



Chemical



Washable

SAFEGUARD YOUR HANDS, CONQUER CHEMICALS WITH EASE.

INDUSTRIAL RUBBER

BLACK ROUGH PALM GLOVE

A rough rubber glove made of high quality rubber mainly used to protect your hands when performing important tasks using chemicals. These gloves protect your hands from harmful materials that may render harm to your skin.

PRODUCT DESCRIPTION

Item Code	G036-T G036
Coating Material	Rubber Latex with Rough Finish
Liner Material	Unlined
Cuff Style	Gauntlet
Colour	Black
Chemical	Acids, Bases, Solvents suitable for general application
Risk Category	II
EN Size	35cm - 55cm

Pack Size: 60 per carton

IDEAL APPLICATIONS

- General Purpose Handling Application
- Chemical Hazards

UNLINED HOUSEHOLD GLOVES



Yellow Household - G031



Pink Household - G049



Latex



Anti-slip



Water Proof



Washable

EFFORTLESS CLEANING, MAXIMUM COMFORT.

RELIABLE DURABILITY

HOUSEHOLD

LATEX GLOVES

General purpose Latex household glove with a unlined and beaded cuff. Used for a multitude of household and workplace tasks. With fish scale patterns for maximum grip.

PRODUCT DESCRIPTION

Item Code	G031 G049
Coating Material	Latex
Liner Material	Unlined
Cuff Style	Beaded
Colour	Yellow & Pink
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	YELLOW: S - M - L - XL PINK: L

IDEAL APPLICATIONS

• General Purpose Handling Application

PACK SIZE

G031: 200 Per Carton

G049: 300 Per Carton

BLACK BUILDERS

LATEX GLOVE

CODE: G018

PRODUCT DESCRIPTION

Item Code	G018	
Liner Material	Unlined	
Coating Material	Latex	
Cuff Style	Beaded	
Colour	Black	
Risk Category	II	
EN Size	EN Size: 9 - 33cm	Pack Size: 120 per carton

IDEAL APPLICATIONS

- General Purpose
- Cleaning



Latex



Anti-slip



Water Proof



Washable

LATEX DIPPED

KNITTED POLYESTER

CODE: G017

PALM DIPPED



LATEX DIPPED GRIPPER

PRODUCT DESCRIPTION

Item Code	G017	
Construction	Knitted	
Liner Material	Polyester	
Coating Material	Latex	
Colour	Yellow & Green	
Chemical	Acids, Bases, Solvents not suitable	
Risk Category	II	EN Size: 10 Pack Size: 120 per carton

IDEAL APPLICATIONS

- General Handling



Flexible



Dry Grip



Latex



Breathable

CRAYFISH

RUBBER PALM GLOVE

CODE: G035

7 Gauge bleached T/C liner, red latex on palm. Rough rubber coated palm for handling slipping or abrasive objects.

PRODUCT DESCRIPTION	
Item Code	G035
Liner Material	Cotton
Coating Material	Rubber
Cuff Style	Knit Wrist
Colour	Red & White
Risk Category	II
EN Size	EN Size: 10 Pack Size: 120 per carton

IDEAL APPLICATIONS		
• General Purpose	• Assembly	• Sea Food Industry



Flexible



Dry Grip



Latex



Breathable



Wet Grip

RUBBER PALM



YELLOW LATEX

FULLY DIPPED

CODE: G002

Yellow natural rubber fully coated glove, with a crinkle cut finished palm. Close cut drill fleece liner with a knitted wrist; this glove is designed for the use in general handling applications. Suitable for water-based applications where extra grip is required.

PRODUCT DESCRIPTION	
Item Code	G002
Construction	Knitted & Dipped
Liner Material	Cotton
Coating Material	Latex
Colour	Yellow
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II EN Size: 10 Pack Size: 120 per carton

IDEAL APPLICATIONS
• General Handling



Flexible



Dry Grip



Latex

FULLY DIPPED



COMAREX

MEDIUM WEIGHT

CODE: G032



WET & DRY GRIP

PRODUCT DESCRIPTION

Item Code	G032	
Construction	Knitted & Sewn	
Liner Material	Cotton & Canvas	
Finishing	Latex Fully Coated	
Colour	Yellow	
Mechanical	Abrasion Lv3, Cut Lv1, Tear Lv3, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
EN Size	10	Pack Size: 120 per carton

IDEAL APPLICATIONS

- Assembly
- Shipping & Receiving
- General Maintenance
- Construction
- Inspection
- Gardening

THE
YELLOW
COMAREX
GLOVE

YOUR RELIABLE PARTNER IN DEMANDING WORK ENVIRONMENTS!

COMAREX

SAFETY CUFF

CODE: G045



WET & DRY GRIP - EXCELLENT ABRASION RESISTANCE

PRODUCT DESCRIPTION

Item Code	G045	
Construction	Knitted & Sewn	
Liner Material	Cotton & Canvas	
Finishing	Latex 3/4 Coated	
Colour	Yellow	
Mechanical	Abrasion Lv3, Cut Lv1, Tear Lv3, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
EN Size	10	Pack Size: 120 per carton

IDEAL APPLICATIONS

- Assembly
- Shipping & Receiving
- General Maintenance
- Construction
- Inspection
- Gardening

COMAREX



Flexible

Dry Grip

Latex

HEAVY CRINCKLE DIPPED

CODE: G046

WET & DRY GRIP - EXCELLENT ABRASION RESISTANCE

PRODUCT DESCRIPTION

Item Code	G046	
Construction	Knitted & Sewn	
Liner Material	Cotton & Canvas	
Finishing	Heavy Crinckle Latex 3/4 Coated	
Colour	Yellow	
Mechanical	Abrasion Lv3, Cut Lv1, Tear Lv3, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
EN Size	10	Pack Size: 120 per carton

IDEAL APPLICATIONS

- Assembly
- Shipping & Receiving
- General Maintenance
- Construction
- Inspection
- Gardening



COMAREX



Flexible

Dry Grip

Latex

HEAVY WEIGHT ELBOW LENGTH

CODE: G047

LATEX DIPPED - 35CM ELBOW FLEECE LINED

PRODUCT DESCRIPTION

Item Code	G047	
Construction	Knitted, Sewn & Dipped	
Liner Material	Cotton Jersey	
Cuff Style	Gauntlet	
Colour	Light Yellow	
Mechanical	EN388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv1	
Chemical	Not Suitable	
EN Size	10	Pack Size: 72 per carton

IDEAL APPLICATIONS

- Hardware
- Mines
- Mechanical Industries
- Construction
- Material Handling
- Gardening



PU

POLYURETHANE

Polyurethane is the toughest of the popular coating polymers, with the best resistance to abrasion, cuts, tears and punctures. This makes it highly suitable for cut resistant gloves, where its mechanical properties compliment those of the high performance fibres used in those kinds of gloves. Also, because it's tough, coatings can be made thinner than with other polymers, yet still provide comparable levels of protection. This makes it a good choice for applications such as fine assembly work where a high level of tactility (feel) is important.



PU COATED

INSPECTOR - WHITE

CODE: G055



PU COATED

INSPECTOR - BLACK

CODE: G056

PIONEERSAFETY
PU INSPECTOR



Flexible



Dry Grip



Breathable



Polyurethane

PRODUCT DESCRIPTION

Item Code	G055 G056
Construction	Knitted
Gauge	13
Liner Material	Polyester
Coating Material	Polyurethane
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	White & Black
Mechanical	EN388 Abrasion Lv3, Cut Lv1, Tear Lv3, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not Suitable
Risk Category	II
EN Size	7,8,9,10,11

Pack Size: 300 Per Carton

IDEAL APPLICATIONS

- Inspection
- Automotive
- Small Parts Assembly/Handling
- Quality Control



ANTI STATIC PU



Flexible



Dry Grip



Breathable



Polyurethane



Anti Static

PRODUCT DESCRIPTION

Item Code	G126
Construction	Knitted
Gauge	13
Liner Material	Nylon
Coating Material	Polyurethane
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	White
Mechanical	EN388 Abrasion Lv4, Cut Lv1, Tear Lv3, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat & Cold	Not Suitable
Risk Category	II
EN Size	8,9,10,11

Pack Size: 120 Per Carton

IDEAL APPLICATIONS

- Inspection
- Automotive
- Small Parts Assembly/Handling
- Quality Control



STAINLESS STEEL MESH

A mesh of individually welded stainless steel rings provides the best cut protection of any glove material.

CHAINMAIL

PROTECTIVE GLOVES



Reversible

CHAINMAIL

GLOVE | CODE: G067

PRODUCT DESCRIPTION

Item Code	G067
Glove Type	Reversible - Five Finger Wrist Length
Strap/Cuff Style	Replaceable - Polypropylene/Nylon
Strap Colour	Orange
Size	S - M - L - XL

Pack Size: Sold Per Piece NO LEFT & RIGHT DIFFERENCE

INSTRUCTIONS

The stainless steel metal mesh series safety gloves have been designed and produced to protect the user of hand knives and/or similar tools against injuries like cuts and stabs ect. Eg. carcass deboning, processing of plastic, leather, wood and similar materials. The safety glove will help to prevent accidents and provide protection of those parts of the hand and arm covered by the metal mesh.

COTTON

Polycotton blends are commonly used in string knit gloves because of their comfort, durability and excellent laundering characteristics. By mixing polyester with cotton, shrinkage can be minimised

COTTON GLOVES

Cotton Comfort For Every Task



CODE: G050
450G



CODE: G050-800
800G



CODE: G034-G
450G

COTTON

KNIT WRIST

Lightweight, comfortable, seamless cotton glove offering superior finger dexterity and is ideal for dry handling.

PRODUCT DESCRIPTION

Item Code	G050 G050-800
Construction	Knitted
Liner Material	Cotton
Cuff Style	Knit Wrist
Colour	Unbleached White/Grey
Chemical	Not suitable
Risk Category	II
EN Size	10

Pack Size: 600 per carton

IDEAL APPLICATIONS

• Light Duty General Handling



CODE: G034-S
SINGLE SIDED



CODE: G034
DOUBLE SIDED

Polka Dot Precision: Unleash Your Grip with Comfort and Style!

POLKA DOT

COTTON GLOVE

Lightweight, comfortable, seamless cotton glove with PVC dotted palm for enhanced grip, offering superior finger dexterity and is ideal for dry handling.

PRODUCT DESCRIPTION

Item Code	G034 G034-S
Construction	Knitted with PVC Dots
Liner Material	Cotton
Cuff Style	Knit Wrist
Colour	Bleached White
Chemical	Not suitable
EN Size	10

Pack Size: 600 per carton

IDEAL APPLICATIONS

- Light Duty Garden Work



HI-VIZ LIME POLKA DOT GLOVE

SINGLE SIDED/720G

PRODUCT DESCRIPTION

Item Code	G172	
Construction	Knitted with PVC Dots	
Liner Material	Cotton	
Cuff Style	Knit Wrist	
Colour	Lime	
Chemical	Acid, Bases, Solvents not suitable	
EN Size	10	Pack Size: 120 per carton

IDEAL APPLICATIONS

- Garden Use

BLEACHED COTTON

10GG GLOVE



CODE: G170
650G

PRODUCT DESCRIPTION

Item Code	G170
Construction	Knitted
Liner Material	Cotton
Cuff Style	Knit Wrist
Colour	White
Chemical	Acid, Bases, Solvents not suitable
EN Size	10

Pack Size: 600 per carton

IDEAL APPLICATIONS

- *Light Duty Protection In Automotive Plants*
- *Inspection*
- *Component Assembly*

LINT FREE NYLON

GLOVE

PRODUCT DESCRIPTION

Item Code	G171
Construction	Knitted
Liner Material	Nylon
Cuff Style	Knit Wrist
Colour	White
Chemical	Acid, Bases, Solvents not suitable
EN Size	10

Pack Size: 360 per carton

IDEAL APPLICATIONS

- *Light Duty Protection In Automotive Plants*
- *Inspection*
- *Component Assembly*



CODE: G171
650G

CUT & FLAME RESISTANT



KEVLAR CROCHET

DOUBLE SIDED POLKA DOT

The Kevlar® par-aramid fibre has a high resistance to cuts which makes it ideal for use in cut resistant gloves for applications where sharp objects are being handled. The high tensile strength and low weight of Kevlar® makes it durable yet lightweight to wear. Kevlar® is flame resistant, self-extinguishing and can be used at elevated temperatures.

PRODUCT DESCRIPTION

Item Code	G101
Construction	Knitted
Liner Material	Kevlar® and Cotton
Cuff Style	Knit Wrist
Colour	Blue & Yellow
Mechanical	EN388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture LvX
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
EN Size	10

Pack Size: 1 Pair

IDEAL APPLICATIONS

- General Work
- Glazing
- Steel Metal Fabrication
- Bottling & Canning
- Cutting Application
- Waste & Rec

GENERAL HAND PROTECTION

DISPOSABLE

EXAMINATION GLOVES

PIONEERSAFETY

LATEX GLOVES

POWDERED & POWDER FREE GLOVES

Manufactured from genuine natural rubber, these gloves combine the highest degree of dexterity with superior strength and comfort. One hundred gloves per box. May cause allergic reactions in some individuals.

PRODUCT DESCRIPTION	
Item Code	G061 G064
Coating Material	Latex
Liner Material	Unsupported
Cuff Style	Beaded
Colour	White
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II EN Size: S - XL

IDEAL APPLICATIONS	
• Pharmaceutical	• Electronic Components
• Food	• Laboratory
• Cosmetic	• Inspection & Examination

SUPERIOR QUALITY LATEX EXAMINATION GLOVES

Unrivalled Dexterity, Strength, and Comfort



NITRILE GLOVES

EXAMINATION POWDER FREE

Powder free nitrile gloves manufactured from nitrile rubber. Eliminating the risk of allergic reactions associated with latex gloves. Textured finish provides enhanced finger grip and dexterity in both wet and dry conditions.

PRODUCT DESCRIPTION		IDEAL APPLICATIONS
Item Code	G096	• Pharmaceutical
Coating Material	Nitrile	• Food
Linier Material	Unsupported	• Cosmetic
Cuff Style	Beaded	• Electronic Components
Colour	Ocean Blue	• Laboratory
Chemical	Acids, Bases, Solvents not suitable	• Inspection
Risk Category	II EN Size: S - XL	• Examination
		Pack Rate: 100 in a box

ENHANCED GRIP & DEXTERITY

VINYL GLOVES

EXAMINATION POWDER FREE

PRODUCT DESCRIPTION		IDEAL APPLICATIONS
Item Code	G069	• Pharmaceutical
Coating Material	Vinyl	• Food
Linier Material	Unsupported	• Cosmetic
Cuff Style	Beaded	• Electronic Components
Colour	Clear	• Laboratory
Chemical	Acids, Bases, Solvents not suitable	• Inspection
Risk Category	II EN Size: M - L	• Examination
		Pack Rate: 100 in a box



GLOVE CLIP

PRODUCT DESCRIPTION

Item Code	GCLIP01
Material	ABS
Colour	Yellow

Pack Rate: 480 In a carton

WORKWEAR

PIONEERSAFETY

PIONEERSAFETY

CONTI-SUITS

D59

CONTI-SUIT

FLAME & ACID RETARDANT

MADE ACCORDING TO
SABS SPEC



100% COTTON - ACID & FLAME RETARDANT FINISH - 320GSM TRIPLE STITCHED



Features (Jacket): Collared jacket, high visibility 50mm silver flame retardant reflective tape on arms, concealed brass YKK zip closure, 2 open waist pockets and 1 left breast pockets with Pioneer side winder label & concealed metal press stud closure, side slits for comfortable fit over waist, seams with triple needle top stitching for added durability.

Features (Trousers): Seams with triple needle top stitching for added durability, high visibility 50mm silver flame retardant reflective tape on legs, concealed brass YKK zip closure with metal nickel button closure at waist, 2 front swing pockets and a rear open pocket, inner elasticated waist for optimum fit and flexibility with 7 belt loops.

JACKET
SIZE
30-62

TROUSER
SIZE
28-58

COLOUR
NAVY

D59

BOILER SUIT

FLAME & ACID RETARDANT



CHEST
SIZE
32-58



CLOUR
NAVY

Code: D59BS

GREEN - FLAME RETARDANT

CONTI-SUIT



JACKET - DESCRIPTION

- Two Side Pockets
- Monza Chest Pocket
- Triple Top Stitching
- 100% Cotton Fabric
- Flame Resistant
- 310gsm Fabric



TROUSER - DESCRIPTION

- Elasticated Waist Band
- Two Side Pockets
- One Back Pocket
- Triple Stitch Inner
- 100% Cotton Fabric
- Flame Resistant
- 310gsm Fabric



GREEN



Code: CSGF

OLIVE - ACID RETARDANT

CONTI-SUIT



80/20 POLYCOTTON - ACID RETARDANT FINISH - 195GSM



JACKET - DESCRIPTION

- Two Side Pockets
- Monza Chest Pocket
- Single Top Stitching
- 80/20 Polycotton Fabric
- Acid Resistant
- 195gsm Fabric



TROUSER - DESCRIPTION

- Elasticated Waist Band
- Two Side Pockets
- One Back Pocket
- Triple Stitch
- 80/20 Polycotton Fabric
- 195gsm Fabric



**BOTTLE
GREEN**



Code: CSA

DENIM

CONTI-SUIT



DENIM



SIZE

Jacket Features:

Two side pockets
Monza chest pocket
Single top stitching throughout

Trouser Features:

Elasticated waist band
Two side pocket and one back pocket
Tripple stitched inner leg and back rise

Fabric Type

100% Cotton Twill Fabric

Fabric Weight

200gsm Fabric

Stitch Type

Double top stitching



Code: CSD

CONTI-SUIT J54 100% COTTON

220GSM



JACKET - DESCRIPTION

- Two Side Pockets
- Monza Chest Pocket
- Single Top Stitching
- 100% Cotton Fabric
- 220gsm Fabric



TROUSER - DESCRIPTION

- Elasticated Waist Band
- Two Side Pockets
- One Back Pocket
- Triple Stitched Back Rise & Crotch
- 100% Cotton Fabric
- 220gsm Fabric




Code: CSJ54
CSNJ54
CS006
CS007



Two Tone Conti-Suit

Premium Quality Poly Cotton 230gsm Double Twill Fabric
(Sold as a set) C5002

 Navy/Khaki

Fabric Weight: 230gsm Polycotton
Stitch Type: Triple stitched under arm,
inner leg and back rise
Zip Type: Aluminium



TwoTone

WORKWEAR - POLYCOTTON

Two Tone Conti-Suit

Premium Quality Poly Cotton 230gsm Double Twill Fabric
(Sold as a set) C5001

 Olive/Khaki

Fabric Weight: 230gsm Polycotton
Stitch Type: Triple stitched under arm,
inner leg and back rise
Zip Type: Aluminium



CONTI-SUIT POLYCOTTON

80/20 POLYCOTTON TWIN FABRIC - 210GSM



JACKET - DESCRIPTION

- Two Side Pockets
- Monza Chest Pocket
- Single Top Stitching
- 80/20 Polycotton Fabric
- 210gsm Fabric



TROUSER - DESCRIPTION

- Elasticated Waist Band
- Two Side Pockets
- One Back Pocket
- Triple Stitched Back Rise & Crotch
- 80/20 Polycotton Fabric
- 210gsm Fabric



CONTI-SUIT REFLECTIVE

80/20 POLYCOTTON - 210GSM



Code: CSB REF

JACKET - DESCRIPTION

- Two Side Pockets
- Monza Chest Pocket
- Single Top Stitching
- 80/20 Polycotton Fabric
- 210gsm Fabric
- Lime Silver Reflective Tape on Arms

TROUSER - DESCRIPTION

- Elasticated Waist Band
- Two Side Pockets
- One Back Pocket
- Triple Stitched Back Rise & Crotch
- 80/20 Polycotton Fabric
- 210gsm Fabric
- Lime Silver Reflective Tape on Legs



ROYAL
BLUE



Code: CSJ54
CSNJ54
CS006
CS007

POLYCOTTON - CONTISUIT

BOILER SUIT



195gsm

Concealed Zip

BOILER SUIT - DESCRIPTION

- *Two Back Pockets*
- *Monza Chest Pocket*
- *Single Top Stitching*
- *80/20 Polycotton Fabric*
- *195gsm Fabric*





DUST COAT

80/20 POLYCOTTON TWIN FABRIC

DESCRIPTION

- Top Chest Pocket
- Two Side Pockets
- Clear Buttons
- 195gsm
- Triple Stitch

CHEST
SIZE
30-52

● Gray ● Orange ● Navy ● Green ● Red ● Blue



WORKWEAR

CONTI-SUITS

 KONO



THE **WORKWEAR** SOLUTION

90/10 POLYCOTTON FABRIC


Contisuit

- Concealed Aluminium Zip
- Monza Chest Pocket
- Single Top Stitching
- 90/10 Polycotton Fabric
- 195gsm Fabric

 Blue



 KonoEssential



WORKWEAR

PIONEERSAFETY

HI-VIZ SHIRTS



PW006



LONG SLEEVE.

DESCRIPTION

Pioneer Safety's 100% cotton high visibility shirts. Our relaxed fit range combines comfort and breathability, making them perfect for warmer environments. Crafted from natural fibers, these shirts provide exceptional comfort while ensuring durability. With reflective elements, they enhance visibility in low-light conditions, ensuring safety in hazardous or high-traffic areas.

KEY FEATURES

- Collar with hanger loop
- Button closure
- Vented back yoke with mesh
- High visibility reflective tape on chest, waist, back, and arms
- Pleated front sleeves with adjustable cuffs
- Two chest pockets with flap and pen hole
- Double needle top stitched seams and reinforced stress points

SPECIFICATIONS

Fabric composition: 100% cotton.
 Mass: 145gsm.
 Reflective: 50mm Silver Reflective Tape



PW003



PW007



PW005



PW004



DW008

SHORT SLEEVE.

CHEST
SIZE
S-4XL

UPGRADE YOUR SAFETY GEAR

SPECIFICATION

Fabric composition: 100% cotton.

Mass: 145gsm.

Reflective: 50mm Silver Reflective Tape

● Navy ● Blue ● Green ● Yellow ● Orange



DW011



DW010



DW012



DW009

T-SHIRTS



SHORT SLEEVE.



UPGRADE YOUR SAFETY GEAR

SPECIFICATION

Fabric composition: 100% cotton.
Mass: 145gsm.

● Black ○ White ● Blue ● Red ● Gray ● Yellow ● Green



WORKWEAR

PIONEERSAFETY

WINTER WEAR

BUNNY JACKET.



V004



 10 IN A BOX

PRODUCT DESCRIPTION

EN ISO20471:2013

- 80% Polyester - 20% Cotton - 310gsm
- Outer: 280gsm
- Inner: 240gsm
- Detachable Sleeves
- Nylon Zip & Inner Fleece Collar
- Elasticated Rib Knit Cuff & Waist Band
- Left Arm Pen Pocket - Chest Pocket
- 50mm High Visibility Reflective Tape

APPLICATION

Construction

Mining

Shipyards

Industrial Plant Maintenance



V005

V003

PARKA JACKET



V007

V006

PRODUCT DESCRIPTION

EN ISO20345:2011 - EN343 (3) - EN342

- 100% Polyester - 300D PU Coated
- Lining 190T - 100% Polyester Tafetta
- Collared Long Sleeve Jacket
- Concealed Hood with Drawstring
- Fastener & Velcro Closure
- Heavy Duty Two-Way Zip with Storm Cuff
- 50mm High Visibility Reflective Tape
- Two Large Pockets with Straight Cut Flap
- Secure Pocket with Velcro

APPLICATION

Construction
Mining
Shipyards
Industrial Plant Maintenance



10 IN A BOX



5 IN 1 PARKA JACKET



REVERSABLE

PRODUCT DESCRIPTION

Item Code:	V010
Description	5 in 1 Hi-Vis Parka Jacket
Fabrication	Polyester/PVC - Quilt padding - Polyester Lining
Refl Tape Width:	5cm

APPLICATION

- Construction
- High Municipalities
- Shipyards
- Industrial Plant Maintenance



10 IN A BOX



NAVY BLUE
FREEZER JACKET/TROUSER



V008

V009

PRODUCT DESCRIPTION

- 180g Bonded Duratherm Filler
- 210D Oxford Polyester Outer
- 180g Quilt Padding
- 150D Polyester Lining
- Large Outer Pockets
- Standard Hood



WORKWEAR

PIONEERSAFETY

REFLECTIVE WEAR




V023Y - LIME

100% POLYESTER SOLID VESTS

LIGHTWEIGHT & COMFORTABLE

- High visibility solid vests
- Made of 100% Polyester - 115gsm
- Equipped with 50mm class 2 reflective tape
- Features a Nylon zip and plastic ID pocket
- Suitable for use in construction, mining, and warehousing
- Standard ISO20471:2013

 100 IN A BOX

SIZE
S-4XL



V021 - Red



V023O - Orange



V022 - Royal Blue



V032 - 2 Tone



V047 - Black



V034 - Blackish Green



V018 - Emerald Green



V020 - Pink



V013 - Navy



V033 - Yellow





V035



V036

SIGNALING VEST

- Two Tone High Visibility
- 100% Polyester with Black Binding 120gsm
- 50mm Class 2 Reflective Tape
- Top & Bottom Pockets
- Nylon Zip with Plastic ID Pocket
- Contrast binding at the arms and neckline



50 IN A CARTON

STANDARD
ISO20471:2013 APPROVED

STAY VISIBLE, STAY SAFE.

REFLECTIVEVESTS!



V040

HI-VIS BRACE WITH ELASTIC

PRODUCT DESCRIPTION

- 100% Polyester Fabric
- 5mm Width Reflective
- Velcro Fastening
- One Size Fits All

KEY FEATURES

- Day & Night Visibility
- Reflective Elasticated Material
- Two Adjustable Buckles

Fabric: 100% Polyester
Size: Waist (800-1200mm)
Colour: Lime Green
Style: Brace

100 IN A CARTON

REFLECTIVE JACKET

DETACHABLE SLEEVE



V039



V030

REFLECTIVE JACKET

- 2 Tone High Visibility
- 100% Polyester, 110gsm Mesh and 120gsm Solid
- 50mm+20mm Class 2 Reflective Tape
- Detachable Sleeves
- Nylon Zip with Plastic ID Pocket



25 IN A BOX





V027

ISO20471:2013

SLEEVELESS JACKET

- 2 Tone High Visibility
- 100% Polyester, 110gsm Mesh and 120gsm Solid
- 20mm Class 2 Reflective Tape
- Nylon Zip



50 IN A BOX

LONG SLEEVE JACKET

ISO20471:2013

- 2 Tone High Visibility
- 100% Polyester, 110gsm Mesh and 120gsm Solid
- 20mm Class 2 Reflective Tape
- Nylon Zip with ID Pocket



50 IN A BOX



V025



V024-Y

MESH REFLECTIVE VEST

- High Visibility
- 100% Polyester, 90gsm Mesh
- 50mm Class 2 Reflective Tape
- Nylon Zip with ID Pocket



100 IN A BOX

ECONO SAFETY VEST

- High Visibility
- 100% Polyester, 90gsm Solid
- 50mm Reflective Tape
- Nylon Zip with ID Pocket



100 IN A BOX



O



Y



V026


HI-VIS BIB WITH LED LIGHT

LED-POWERED VISIBILITY

 Orange

SAFETY VEST

- Orange reflective vest with LED light
- Yellow PVC reflective tape
- Velcro adjustable
- One size fits all
- Batteries not included

 50 IN A BOX

EQUIP YOUR TEAM WITH HIGH-VISIBILITY SOLUTIONS




V016Y

HI-VIS ADJUSTABLE BIB

 Lime

SAFETY BIB

- High visibility lime bib vest
- Adjustable in five different ways
- Velcro attachment for easy wearing and removal
- Features white PVC reflective tape

 100 IN A BOX




V017Y

HEAVY DUTY LIME BIB

 Lime

- Lime bib for high visibility and safety.
- Heavy-duty construction for long-lasting durability.
- Features 20mm class 2 reflective tape.
- Velcro attachment provides a secure and adjustable fit.
- Size: 57X39cm

HIGH VISIBILITY PROTECTION!

 100 IN A BOX

UNPARALLELED QUALITY, ALWAYS.

MESH BIB



V014O



V014Y

SOLID BIB




V015O



V015Y


MESH BIB

- High Visibility
- Polyester Mesh 50gsm
- 20mm Class 2 Reflective Tape
- Affordable Quality
- 37x53cm

 200 IN A BOX

SOLID BIB

- High Visibility
- Polyester Solid 110gsm
- 20mm Class 2 Reflective Tape
- Affordable Quality
- 37x53cm

 200 IN A BOX



REFLECTIVE TAPE

- EP010: Lime/Silver - 5x2cm Tape | 100m Roll
- EP012: Orange/Silver - 5x2cm Tape | 100m Roll

● EP012 ● EP010

 10 ROLLS IN A BOX



REFLECTIVE PVC TAPE

- EP019: Lime PVC - 5cm Tape | 50m Roll
- EP018: White PVC - 5cm Tape | 50m Roll

● EP018 ● EP019

 40 ROLLS IN A BOX

REFLECTIVE SILVER TAPE

- EP017: Silver - 5cm Tape | 200m Roll

● EP017

 10 ROLLS IN A BOX

PIONEERSAFETY

RAIN WEAR

STORMGUARD

PREMIUM PU RAINSUIT



10 IN A BOX

PRODUCT DESCRIPTION

- Fabric Weight: 382gsm
- Fabric Thickness: 0.48mm
- Two Piece Set
- Two Front Patch Pockets
- Elasticated Cuffs & Storm Flap
- Elasticated Waist on Trousers
- Double Top Stitching Throughout
- Waterproof & Reinforced



COLOUR
NAVY

Hydro Premium
RAINSUIT



**STAY DRY
 STAY PROTECTED!**

Hydro Premium Rainsuit!

PVC HEAVY DUTY RAINSUIT

- *Reliable and high-performance.*
- *Adjustable cuffs: Customizable and secure.*
- *Storm flap with snaps: Extra rain protection.*
- *Elasticated waist trousers.*
- *Underarm vents: Improved breathability.*
- *Heat sealed seams: Complete waterproofing.*
- *Fabric: Heavy Duty Virgin PVC*
- *Thickness: 0.3mm*

 COLOUR Yellow |  **S-5XL** |  20 IN A BOX

R005



PVC RAINSUIT

- *Rain Jacket with Two Front Patch Pockets*
- *Elasticated Cuff & Storm Flap with Plastic Snaps*
- *Trousers Have Elastic Waist*
- *Ventilated Cape Back & Underarm Vents*
- *Heated Sealed Seams*

 COLOUR Yellow |  **S-5XL** | **R001** |  20 IN A BOX

RUBBERISED RAINSUIT



RY

- 100% waterproof
- PVC coated for added protection
- Heat-sealed seams for maximum durability
- Two pockets for convenient storage
- Elastic cuffs and storm flaps
- Elastic waistband for a comfortable fit
- Thickness: 0.18mm

Ideal Applications

- Rainy work conditions
- Construction
- High maintenance
- Shipyard
- Agricultural chemical spraying
- Industrial plant maintenance

● Yellow ● Black ● Navy ● Green



RBK



RN



RG

20 IN A BOX

EMBRACE THE RAIN, STAY DRY:

OUR 100% WATERPROOF RUBBERISED RAINSUIT IS YOUR ULTIMATE SHIELD AGAINST WET WEATHER!

HI-VIS REFLECTIVE RUBBERISED RAINSUIT



RRL

- 100% waterproof
- PVC coated for added protection
- Heat-sealed seams for maximum durability
- Two pockets for convenient storage
- Elastic cuffs and storm flaps
- Elastic waistband for a comfortable fit
- 50mm reflective tape
- Thickness: 0.18mm

Ideal Applications

- Rainy work conditions
- Construction
- High maintenance
- Shipyard
- Agricultural chemical spraying
- Industrial plant maintenance

● Yellow ● Navy ● Lime ● Orange



RRN



RRY



RRO

20 IN A BOX



YELLOW



ORANGE



NAVY

RUBBERISED RAIN COAT

FEATURES

Fabrication: 100% waterproof polyester PVC coated fabric

Density: 180T

Thickness: 0.18mm

DESCRIPTION

- Raincoat hooded
- Ventilated cape back and underarm vents
- Heat sealed seams

APPLICATION

- Rainy work conditions
- Construction
- High municipalities
- Shipyards
- Agricultural chemical spraying
- Industrial plant maintenance

SIZE

S-5XL



50 IN A BOX



● Yellow

PVC APRON

size 90X120CM | code PVC-APRON

DESCRIPTION

- PVC Apron: 100% PVC reinforced Polyester
- Waterproof and durable
- Colors: blue, orange, yellow, white, green
- Size: 90x120cm
- Thickness: 0.28mm

IDEAL APPLICATIONS

- Construction
- Ship Yards
- Chemical Spraying
- Agriculture
- Industry



100 IN A BOX



● Army Green



● Orange



○ White



● Blue

BLOOD & FAT RESISTANT

size 90X120CM | code PVC-APRON

DESCRIPTION

- Waterproof
- Protects against splashed of water and dirt
- Colors: White
- Size: 90x120cm
- Thickness: 0.22mm



50 IN A BOX

WORKWEAR

PIONEERSAFETY

DISPOSABLE WEAR

TYPE 4/5/6 DISPOSABLE COVERALL

DESCRIPTION

Disposable coverall with hood, front zipper covered by flap, elastic cuff, ankle and waist, heated sealed seam, white colour.

Item Code A043

Material 100% Polypropylene and Polyethylene Film - 63 +- 2gsm

Application Pharmaceutical, Industrial, maintenance, electric, assembly, asbestos removal, ship cleaning, spray painting, mining, wood and metal processing, hygiene, cleaning, food industry, factories, household and hospital.

Standard Type 4 EN14605 - Spray Tight Suit
Type 5 EN ISO 13982-1 - Dry Particle Suit
Type 6 EN13034 - Reduced Spray Suit

 50 IN A BOX



TYPE 5/6 DISPOSABLE COVERALL

DESCRIPTION

Disposable coverall with hood, front zipper covered by flap, elastic cuff, ankle and waist, white colour.

Item Code A042

Material 100% Polypropylene and Polyethylene Film - 50 +- 2gsm

Application Pharmaceutical, Industrial, maintenance, electric, assembly, asbestos removal, ship cleaning, spray painting, mining, wood and metal processing, hygiene, cleaning, food industry, factories, household and hospital.

Standard Type 5 EN ISO 13982-1 - Dry Particle Suit
Type 6 EN13034 - Reduced Spray Suit

 50 IN A BOX



WHITE DISPOSABLE COVERALL

DESCRIPTION

Disposable coverall with hood, front zipper, elastic cuff, ankle, white colour.

Item Code	A033
Material	Non Woven - 35gsm
Application	Asbestos Stripping - Cleaning - Construction - Painting
Features	Breathable - Lightweight - Dust Proof - Liquid Proof

 50 IN A BOX



BLUE DISPOSABLE COVERALL

DESCRIPTION

Disposable coverall with hood, front zipper, elastic cuff, ankle, blue colour.

Item Code	A033B
Material	Non Woven - 35gsm
Application	Asbestos Stripping - Cleaning - Construction - Painting
Features	Breathable - Lightweight - Dust Proof - Liquid Proof


 50 IN A BOX



MOP CAP

DISPOSABLE

Item Code: A025
Weight: 10gsm
Features: Soft, Light, Economical & Breathable
Application: Hygienic Environment
Size: 18"


 100 PER PACK
 20 PACKS PER CARTON



DELI GLOVE

DISPOSABLE

Item Code: A002
Weight: 0.6g
Application: Food Industry

 100 PER PACK
 100 PACKS PER CARTON




Clear

SHOE COVER

NON WOVEN DISPOSABLE

Item Code: A003
Weight: 38gsm

 100 PER PACK
 10 PACKS PER CARTON




Blue

BEARD COVER

NON WOVEN DISPOSABLE

Item Code: A028
Weight: 10gsm

 100 PER PACK
 10 PACKS PER CARTON



WORKWEAR

PIONEER SAFETY

LEATHER WEAR



PREMIUM WELDERS JACKET

- Split Cow Leather
- Dielectric, Insulated Snap Fasteners
- Spatter Protection Layer
- Adjustable Cuffs
- Roll Out Collar with Snap Fasteners
- Kevlar Thread Seams

Size **M-3XL** | Code **A023**

Colour: **Red/Black**



CHROME LEATHER WELDERS JACKET

- Chrome Leather Welders Jacket
- Made from high-quality chrome leather
- Easily adjustable design for a personalized fit
- Pockets on the torso for convenient storage

Size **M-4XL** | Code **A022**

Colour: **Grey**



10 IN A BOX



ONE PIECE CHROME LEATHER

APRON

- High Quality Leather
- Torso & Waist Protection

Code **A018** 60x90cm

Code **A018B** 60x120cm



50 IN A BOX



CHROME LEATHER

LEATHER YOKE

- Premium Chrome Leather Yoke
- High-quality construction
- Double-stitched for enhanced durability
- Crafted from durable and long-lasting chrome leather

Size **M-4XL** | Code **A015**



30 IN A BOX



CHROME LEATHER
TROUSER

- High Quality Leather
- Torso & Waist Protection
- Adjustable

Size **M-4XL** | Code **A012**



A017

CHROME LEATHER
SPATS ANKLE & KNEE

- A/B Grade Split Cow Leather
- Plastic Buckle

 **50 IN A BOX**



A016



PIONEER TOUGH

LEATHER SLEEVE

VELCRO CLOSE

Size **48CM**

Code **A014**

- Kevlar Thread Seams
- Cow Split Leather
- Adjustable
- Elastic on Wrist

Colour: **Yellow**



50 IN A BOX



PIONEER TOUGH

LEATHER SLEEVE

FLAME RETARDANT

Size **40CM**

Code **A013**

- Kevlar Thread Seams
- Flame Retardant
- Elastic on Wrist & Top

Colour: **Red/Black**



100 IN A BOX



MONKEY FACE

WELDING HOOD

COWHIDE LEATHER

The outer shell of this shield is made of side split cowhide leather and cotton mesh lining by seams concealed to keep inner ventilated & comfortable.

- Sewn with Kevlar Stitches
- Extra length cape to protect neck when welding
- With hook & loop closure on the back
- Height 39cm & Girth 120cm

Code **WHFR01**

PIONEER SAFETY



PIONEER SAFETY

FOOTWEAR

PIONEER FOOTWEAR KONO

**THE ULTIMATE PROTECTION FOR
EVERY STEP YOU TAKE**



Genuine
Leather



Oil
Resistant



Solvent
Resistant



Heat
Resistant



Steel
Toe Cap



Anti
Static



Anti
Penetration



PRODUCT DESCRIPTION

Steel toe-cap

Upper bartan print leather inner sole

Removable inner sole

Wide profile carbon steel toe-cap

D-Ring eyelets

Duel density polyurethane sole

Padded tongue & collar for increased comfort

Impact resistant steel toe-cap of 200 joules

Steel Mid Sole

Nylon laces

90°C Sole Resistant

Oil/Stroke Resistant

Crack Resistant - Anti-Static

Standard CE EN ISO20345:2014-SBP

NRCS Approval No. NRCS/9002/287675/00010

SIZE **UK3-14**



10 IN A CARTON

CODE: **PNBT**



Genuine
Leather



Oil
Resistant



Solvent
Resistant



Heat
Resistant



Steel
Toe Cap



Anti
Static



PRODUCT DESCRIPTION

Steel toe-cap

Upper bartan print leather inner sole

Removable inner sole

Wide profile carbon steel toe-cap

D-Ring eyelets

Duel density polyurethane sole

Padded tongue & collar for increased comfort

Impact resistant steel toe-cap of 200 joules

Nylon laces

90°C Sole Resistant

Oil/Stroke Resistant

Crack Resistant - Anti-Static

Standard CE EN ISO20345:2014-SB

NRCS Approval No. NRCS/9002/287675/0009

SIZE **UK3-14**



10 IN A CARTON

CODE: **LMD600**

PIONEER COMMANDER



Genuine Leather



Oil Resistant



Solvent Resistant



Heat Resistant



Steel Toe Cap



Anti Static



PRODUCT DESCRIPTION

Fabrication: Barton print leather upper inner sole, removable inner sole, wide profile carbon steel toe-cap, dual density polyurethane sole.

Impact resistant steel toe-cap of 200 joules, iron shoe buckle, padded tongue and collar for added comfort.

Nylon laces, PU foamed inner collar lining, sole resistant to 90°C

Oil resistant dual density PU

Slip resistant

Crack Resistant

Anti Static

Standard CE EN ISO20345:2014-S1

NRCS approval No: NRCS/9002/287675/0070



Black
OE: 7011-01



Brown
OE: 7011-02

SIZE **UK3-14**



10 IN A CARTON



Genuine Leather



Oil Resistant



Solvent Resistant



Heat Resistant



Steel Toe Cap



Anti Static



PRODUCT DESCRIPTION

Steel toe-cap

Upper bartan print leather inner sole

Removable inner sole

Wide profile carbon steel toe-cap

D-Ring eyelets

Duel density polyurethane sole

Padded tongue & collar for increased comfort

Inpact resistant steel toe-cap of 200 joules

Nylon laces

90°C Sole Resistant

Oil/Stroke Resistant

Crack Resistant - Anti-Static

Standard CE EN ISO20345:2014-SB

NRCS Approval No. NRCS/9002/287675/0106

SIZE **UK3-14**



10 IN A CARTON


CODE: **KONO**



Oil
Resistant



Solvent
Resistant



Heat
Resistant



Anti
Static

PRODUCT DESCRIPTION

Premium canvas upper sole

Removable inner sole

D-ring eyelets

Dual density

Polyurethane soul

Padded Tongue

Coller for comfort

Sole resistant of 90°C

Slip Resistant

Crack Resistant

Anti Static

Standard CE EN ISO20345:2014-01

SIZE **UK2-14**



10 IN A CARTON

CODE: **PB003**

GUMBOOTS



PRODUCT DESCRIPTION

Features

- Physical & Chemical Properties
- High Tear & Tensile Strength
- Resistance to Abrasion
- Breathability
- Ageing Resistance
- Lightweight
- Water Replent
- Anti-Bacterial

Application

- Agriculture
- Aqua Culture
- Commercial, Pharma & Food

Component	Material	Advantage
Upper	Upper	Excellent resistance to environmental degradation as well as to chemicals, solvents, acids and alkalis - High hardness and outstanding tensile strength.
Lining	Lining	Keeps the foot warm & dry - balance the moisture inside the shoe.
Sole	Sole	Resistance to slip and bending performance, shock absorber & chemicals.
Insoles	Insoles	Improve shock absorption provides strain relief for your ankle & leg injuries.

SIZE **UK3-12**



10 IN A CARTON

CODE: **BG**
CODE: **BGWR**



PRODUCT DESCRIPTION

Unlike the Heavy Duty Gumboots, the General Purpose Gumboots are simply used as a water resistant protection. They have anti slip features for the particularly wet conditions workers are subjected to. Some are however used in highly disinfected environments such as kitchen or laboratories, so are able to withstand oil, solvent, blood and fat spills.

- Anti Slip
- Oil Resistant
- Steel Toecap
- Water Resistant

SIZE **UK5-12**



10 IN A CARTON

CODE: **BGS**



7863A

7863B

PRODUCT DESCRIPTION

Item Code	7863A 7863B
Product Description	Heavy Duty Miners Socks
Colours	Natural & Black
Size	7863A - Top: 60 Leg: 210 Foot: 230 7863B - Top: 180 Leg: 430 Foot: 230
Composition	90% Cotton - 10% Polyester
Courses per cm	3.0 - 4.0
Position of Splicing	Heel & Toe
Toe Closure	Automatic
Depth of splicing	30cm

DESIGN

Top	1x1 True Rib
Leg	4x1/5x1 True Rib
Foot	4x1/5x1 True Rib

RESPIRATORY PROTECTION!



PIONEERSAFETY

PIONEER AIR



RESPIRATORS

HALF MASK

DOUBLE CARTRIDGE RESPIRATOR

CODE: RS002

Pioneer® RS002 lightweight and adjustable half mask is used in combination with Pioneer gas and/or particulate filter/cartridges, designed to protect the user's respiratory system from breathing in the hazards of dangerous gases and particulates.

The RS002 half mask design entails a high-performance exhalation valve, situated in a black PVC (Polyvinyl chloride) body, that has a soft seal on the face with a dual elastic head band complete and large quick release toggles for ease of putting on and taking off when used with gloves.

The RS002 half mask has a low profile design, that integrates with face shields, eye protective devices and hard hats.



RS002
EN140:1998
HRCS/0072/0296

1 PC

STYLE

Half mask - PVC facepiece and adjustable head strap; double and single filter; shielded exhalation valve.

PERFORMANCE TEMPERATURE

a) 24 h in a dry atmosphere of (70 ± 3) °C
b) 24 h at a temperature of (-30 ± 3) °C.

HEAD HARNESS

The particle mask can be donned and removed easily. The harness is adjustable and it holds the facepiece in position. Each strap of the head harness and buckle can withstand a pull force of 50N for 10s.

INHALED LEAKAGE

≤ 5% of the inhaled air & mean result not exceeds 2%.

EXHALATION VALVE

The exhalation valve housing can withstand an axial force of 50N for 10s. The valve continues to operate correctly after a continuous exhalation flow of 300L/min over a period of 30s.

MATERIAL

The mask is made out of plastic and rubber (polymer) therefore it will not react a frictional spark which is normally caused by aluminium, magnesium, titanium and their alloys.



HALF MASK

SINGLE CARTRIDGE RESPIRATOR

Pioneer® RS005, Single cartridge, reusable, lightweight and adjustable, half mask is used in combination with Pioneer® gas and/or particulate filter/cartridges, designed to protect the user's respiratory system from breathing in the hazards of dangerous gases and particulates.

The RS005 half mask has a low profile design, that integrates with face shields, eye protective devices and hard hats.

CODE: RS005



30 IN A BOX



RS005
EN140:1998
HRCS/0072/0296

1 PC

DUST & PARTICLE FILTERS

PIONEER AIR



A1 RESPIRATORY FILTERS

A1 (colour code: brown) – class 1, for use against low capacity cartridge for filtration of organic gas/vapours >65°.

Filter Type	Cyclohexane Gas Capacity	Range of Application	Mass
A1	134 min	Organic gases and steams with boiling point more than 65°C and no protection against CO	120g +/- 5g per set

PRODUCT CODE: **RS003** | 120 PAIRS PER CARTON



P2 RESPIRATORY FILTER

P2 (colour code: White) – class 2, for use against Dust/Particle.

FILTER TYPE	COLOUR	RANGE OF APPLICATION	MASS
P2	White	Dust/Particle	70g +/- 5g per set

PRODUCT CODE: **RS004** | 120 PAIRS PER CARTON



CANNISTER FILTER

- Gases and vapours from organic compounds
- Inorganic gases and vapours.
- Acid gases and vapours, e.g. sulphur dioxide.
- Ammonia and organic ammonia derivatives.
- Solid and liquid toxic particles.

GAS & VAPOURS | PRODUCT CODE: **RS006**

- Do not use the filter in oxygen deficient atmospheres (<17 vol. %), poorly ventilated areas, or confined spaces such as tanks, small rooms tunnels or vessels (unless the concentration of the confined space is well ventilated and the concentration of toxic contaminants is known to be below the upper limit recommended for the respirator / filter).
- Do not use the filter in oxygen enriched atmosphere (>23 vol. % oxygen).
- Do not use in atmospheres where the concentration of toxic contaminants are unknown.
- Do not use at concentrations of hazards greater than the filter class capacity as stated on the label.
- Make sure that the respirator fit the user properly.

3PLY FACE MASK

CODE: EP026

Description:

- Adjustable Hidden Nose Clip
- Latex Free Ear Loops
- Lightweight & Comfortable

Blue

3 layers of filtration, no odor, anti-allergic materials. Outer layer non-woven prevents fluid from entering the mask; high density meltblown protects against bacteria viruses and microscopic particles; inner layer non-woven allows wearer to breathe with minimal moisture.



50 PIECE PER BOX
4000 PIECE PER CARTON



FACE MASK

CODE: EP026BLK

Description:

- Adjustable Hidden Nose Clip
- Latex Free Ear Loops
- Lightweight & Comfortable

Black

3 layers of filtration, no odor, anti-allergic materials. Outer layer non-woven prevents fluid from entering the mask; high density meltblown protects against bacteria viruses and microscopic particles; inner layer non-woven allows wearer to breathe with minimal moisture.



50 PIECE PER BOX
4000 PIECE PER CARTON



THREE LAYERS OF DEFENSE - ONE COMFORTABLE SOLUTION.



FFP1 DUST MASK

20 PIECE PER BOX
400 PIECE PER CARTON

CODE: EP004

Main body construction:

- 1st non woven PET
- 2nd Meltblown filter fabric
- 3rd Meltblown needle punch

- Aluminium nose clip, with foam nose seal
- Suitable for cutting, sanding and drilling
- NPF: 4 - Standard EN149:2001
- NRCS Approval No: NRCS/8072/0086

FFP2 DUST MASK

20 PIECE PER BOX
400 PIECE PER CARTON

CODE: EP005

- Main body construction:
- 1st non woven PET
- 2nd Meltblown filter fabric
- 3rd Meltblown needle punch

- Aluminium nose clip, with foam nose seal
- Suitable for cutting, sanding and drilling
- NPF: 4 - Standard EN149:2001
- NRCS Approval No: NRCS/8072/0085



FFP2 WITH VALVE

20 PIECE PER BOX
400 PIECE PER CARTON

CODE: EP006-I



- Main body construction
- 1st non woven PET
- 2nd Meltblown filter fabric
- 3rd Meltblown needle punch
- Inner foam seal for comfort

- Adjustable head straps
- Suitable for cutting, sanding and drilling
- One way plastic valve reduces hot air build up
- NPF: 50 - Standard EN149:2001
- NRCS Approval No: NRCS/8072/0087

FFP3 WITH VALVE

10 PIECE PER BOX
300 PIECE PER CARTON

CODE: EP023

- Main body construction
- 1st non woven PET
- 2nd Meltblown filter fabric
- 3rd Meltblown needle punch
- Inner foam seal for comfort

- Adjustable head straps
- Suitable for cutting, sanding and drilling
- One way plastic valve reduces hot air build up
- NPF: 50 - Standard EN149:2001
- NRCS Approval No: NRCS/8072/0179



AIRTECH FFP2 DUST MASK

20 PIECE PER BOX
400 PIECE PER CARTON

CODE: AT7000

- Main body construction:
- 1st non woven PET
- 2nd Meltblown filter fabric
- 3rd Meltblown needle punch
- Aluminium nose clip, with foam nose seal
- Suitable for cutting, sanding and drilling
- NPF: 4 - Standard EN149:2001
- NRCS Approval No: NRCS/8072/0204



KN95 FACE MASK

10 PIECE PER BOX
1000 PIECE PER CARTON

CODE: EP027

- Non woven, Meltblown
- Hidden adjustable nose clip
- Suitable for sensitive skin
- Eco-friendly, biodegradable and waterproof
- Comfortable High elasticity ear hooks
- Lightweight
- Allows for easy breathing

KN95 WITH VALVE


10 PIECE PER BOX
400 PIECE PER CARTON

CODE: EP028

- Non woven, Meltblown
- Hidden adjustable nose clip
- Suitable for sensitive skin
- Eco-friendly, biodegradable and waterproof
- Comfortable High elasticity ear hooks
- Lightweight
- Allows for easy breathing
- KN95 with Valve



HEAD PROTECTION!



PIONEERSAFETY



CODE: H003-B



CODE: H003-G



CODE: H003-GL



CODE: H003-O



CODE: H003-P



CODE: H003-R



CODE: H003-W



CODE: H003-Y

CAP LAMP BRACKET

HARDHAT

The hard hat design features a metal lamp attached to the front, providing hands-free illumination for enhanced visibility in low-light conditions. With a convenient cable clip attached to the back left, you can secure and manage your cables effortlessly. Crafted from lightweight plastic, this hard hat ensures optimal comfort without compromising on durability.

 20 UNITS PER PACK



HARDHATS



 20 UNITS PER PACK

HARD HAT

Introducing our versatile hardhat, designed for safety and comfort. It's one-size-fits-all with a secure fit. Lightweight at 285g, yet durable. Equipped with a six-point suspension system for optimal impact resistance. Enhanced vision with a 270° gutter. Perfect blend of functionality and protection for professionals in all industries.



SECURE YOUR SAFETY PIONEERHARDHATS

NIKKI HARD HAT



10 UNITS PER PACK

CODE: NIKKI



**LIGHTWEIGHT
SECURE &
BUILT FOR SAFETY!**

NIKKI HARD HAT

- Lightweight plastic offers excellent rigidity and protection
- Air vents can be opened or closed by the turn of a hand
- Contoured rain channel offers maximum lateral rigidity, ideal for high angle work environments.
- High dielectric strength
- One handed adjustable ratchet
- Shock absorbing

THE PERFECT FIT
CHIN STRAPS

PIONEERSAFETY

Chinstraps are versatile and secure facial accessories designed to enhance your appearance and provide a comfortable fit. Available in 2, 3, and 4 point variations, these chinstraps are crafted with precision to offer different levels of support and stability.

All-Day Comfort!



2 Point

CODE: CHIN02

 500 PIECES PER PACK



3 Point

CODE: CHIN03

 100 PIECES PER PACK



4 Point

CODE: CHIN04

 100 PIECES PER PACK

BUMP CAP

CODE: H006

The Pioneer Safety Industrial bump cap protects against minor head injuries but not falling objects. It has a low profile design for comfortable wear with other PPE. Employers should assess hazards and provide suitable protection.



● Black ● Navy



UPGRADE YOUR HEADWEAR WITH OUR VERSATILE CAPS FOR WORK OR LEISURE!

BASEBALL CAP

CODE: H012

The Pioneer Safety baseball cap features a mid-profile 6-panel design with a pre-curved peak and structured front panels. The stitched ventilation eyelets provide airflow, while the 100% cotton material ensures comfort and breathability. It's a stylish and functional cap for everyday wear.



● Black ● Navy ● Grey ● Red ● White

KEEP YOUR HEAD UP WITH OUR
WORK-READY CAP.

BASEBALL CAP



HI-VIS CAPS

CODE: H016

Elevate your safety and comfort with our High Visibility Cap. This lightweight essential features reflective properties for enhanced visibility, strategic ventilation ports to keep you cool, and is available in vibrant orange and lime options. Stay safe and stylish on the job with this must-have accessory.

200 PIECES PER CARTON

Orange



HI-VIS CAPS

CODE: H015

Elevate your safety and comfort with our High Visibility Cap. This lightweight essential features reflective properties for enhanced visibility, strategic ventilation ports to keep you cool, and is available in vibrant orange and lime options. Stay safe and stylish on the job with this must-have accessory.

200 PIECES PER CARTON

Lime



BE BRIGHT, STAY SAFE – HIGH VISIBILITY CAPS FOR YOUR BEST WORKDAY!

BRIMMED HATS



CODE: H007


BRIMMED HAT

The Luminescent Hi-Viz reflective hat is 100% polyester which makes the hat easy to clean and maintain. The hat features a wide brim to protect yourself from the sun, a contrasting cord with an adjustable toggle to secure the hat from falling. Silver reflective tape detailing the edges of the sun hat.



- Luminescent Hi-Viz reflective hat.
- Wide brim for sun protection.
- Adjustable cord with toggle to secure the hat.
- Silver reflective tape detailing on edges.

50 PER CARTON




CODE: H014

100 PER CARTON

BRIMMED HAT

Full brim hat made with 100% polyester for brightness and durability with mesh around the crown for cooling and ventilation.



STAY COOL, STAY STYLISH, STAY PROTECTED!

SUN BRIM HAT

100 PER CARTON

The Sun Brim Hat is a practical and versatile accessory that provides sun protection for the head and neck. It fits over front brim industrial hard hats and is available in yellow or orange high visibility colors. Choose the version with reflective tape for enhanced visibility in low-light conditions or high-traffic areas. Stay safe and protected from the sun with this functional and stylish hat.



STAY SHADED STAY SAFE

- Sun protection for head and neck
- Fits over front brim industrial hard hats
- Available in high visibility yellow
- Option with reflective tape for enhanced visibility
- Stylish and practical sun accessory



CODE: SB002





FLAME RETARDANT

CODE: WHFR02

WELDING HOOD

- Flame Retardant fabric for the outer shell, prevents flame and welding spatter.
- Cotton mesh lining by seams concealed, keep the inner ventilate and comfortable.
- Quickly around neck with Velcro straps.
- Add Velcro straps and buckle outside, easy to equip other safety helmet and mask.
- Head circumference 41cm, 15cm neck shoulder drape. One size fits all.



100% COTTON

CODE: SKULLCAP

SKULLCAP

- Made of 100% cotton
- Used with all kind of welding helmets
- One size fits all

POLYCARBONATE VISOR
FACE SHIELD

FACE SHIELD WITH
MESH VISOR



CODE: WH007



CODE: WH007-COVER



CODE: WH030-COVER

COMFORT

- Lightweight and robust, resists bending and twisting
- Spherical visor for an extra large field of vision

PERFORMANCE


- Optimised ventilation with increased protection from projections
- Very curved visor for the best field of view at height

APPLICATIONS

- Finishing Works/Craftsmanship
- Events & Scenic
- Accommodation & Food Services
- Automotive
- Public Services
- Power Energy

TECHNICAL DETAILS

- | | |
|----------------|---------------------------------|
| Lens Material: | Polycarbonate/Mesh Steel |
| Lens Colour: | Clear/Mesh |
| Frame Colour: | Yellow/Orange |
| Weight: | 354g |
| Benefits: | Large Field of View |

 40 UNITS IN A CARTON

**PREMIUM CLEAR
FACE SHIELD**



CODE: WH017

**PREMIUM SHADE 5
FACE SHIELD**




CODE: WH018

TECHNICAL DETAILS

- Lens Material:* **Polycarbonate**
- Lens Colour:* **Clear/Shade 5**
- Frame Colour:* **Black**
- Benefits:* **Large Field of View**

DESCRIPTION

- Polycarbonate Visor
- Thickness: 2mm
- Size: 190x210mm
- Impact Resistant, Dust Isolation, Chemical Splash Isolation
- High Impact: 120m/s
- Anti UV 380 - High Temperature Resistant 180 Degrees
- Brow Guard with Adjustable Headband

 20 UNITS IN A CARTON

APPLICATIONS

- Finishing Works/Craftsmanship
- Events & Scenic
- Accommodation & Food Services
- Automotive
- Public Services
- Power Energy



PANORAMIC TRUE COLOUR

AUTO DARKENING WELDING HELMET



DESCRIPTION

- Independent arc sensors with adjustable sensitivity and delay controls
- Safer and more comfortable with auto darkening window
- Lens auto - darkens in 1/ 10,000 of a second
- Grind protection against high speed particles (EN 175B)
- Extended throat guard for more protection
- External knob dark shade adjustment from 3# Shade 4 to Shade 12, Light shade # 3
- True color - Technology allows a realistic color perception and enhances color
- Extra-large viewing Area.



OPTI VIEW AUTO DARKENING ADJUSTABLE WELDING HELMET

CODE: WH001ABBK ● Black

DESCRIPTION

- Suitable for MIG, TIG & Stick welding.
- Solar Powered auto darkening lens, ANSI approved.
- Fully adjustable headgear for comfort.
- Shade adjustment Outside: Shade 9-13 (Adjustable)
- Switching Time: 0.1mS
- Delay time inside switch: 0.25s-0.70s
- Power supply: Li-Mn & Solar combination
- Certification: CE, ANSI
- Replacement protective lens

OPTI VIEW AUTO DARKENING NON-ADJUSTABLE WELDING HELMET

CODE: WH001ANBK ● Black

DESCRIPTION

- Suitable for MIG, TIG & Stick welding.
- Solar Powered auto darkening lens, ANSI approved.
- Fully adjustable headgear for comfort.
- Switching Time: 0.1mS
- Delay time inside switch: 0.25s-0.70s
- Power supply: Li-Mn & Solar combination
- Certification: CE, ANSI
- Replacement protective lens



PROFESSIONAL WELDING EQUIPMENT

OPTI VIEW ELITE WELDING HELMET

● CODE: WH001ANBQ ○ CODE: WH001AQ

DESCRIPTION

- Suitable for MIG, TIG & Stick welding.
- Solar Powered auto darkening lens, ANSI approved.
- Fully adjustable headgear for comfort.
- Shade adjustment Outside: Shade 9-13
- Switching Time: 0.04mS
- Sensitivity stepless adjustment.
- Delay time adjustment: 0.15s-0.60s
- Power supply: Li-Mn & Solar combination
- Certification: CE, ANSI, RoHS
- Replacement protective lens





FRONT FLIP - STANDARD

CODE: WH001

WELDING HELMET

● Black

DESCRIPTION

- Standard flip front helmet
- Spare headgear and lens available
- Adjustable head band



30 UNITS IN A CARTON



FLIP FRONT - PREMIUM

CODE: WH001-PI01

WELDING HELMET

● Black

DESCRIPTION

- Standard flip front helmet
- Spare headgear and lens available
- Adjustable head band



20 UNITS IN A CARTON



PROFESSIONAL WELDING EQUIPMENT



FLIP FRONT ATTACHABLE

WELDING HELMET

CODE: WH025 ● Black


DESCRIPTION

- Standard flip front attachable to hardhat



25 UNITS IN A CARTON

EYE PROTECTION!



PIONEER **VISION**

EURO SPECTACLE

PIONEERVISION

VISION

PART NUMBERS

Lens	Coating	Code
Clear	Anti-Scratch	PV001
Clear	Anti-Scratch/Anti-Fog	PV001-AFDG
Amber	Anti-Scratch	PV001-A
Green	Anti-Scratch	PV001-G
Grey	Anti-Scratch	PV001-GL

TECHNICAL DETAILS

Kind of spectacles	Glasses
Use	Indoor
Lens Material	Polycarbonate
Lens Treatment	Anti-Scratch(Classic)UV400
Lens Based Curve	4
Glasses Style	Monoblock
Characteristics	Curved
Nose Pad Material	Polycarbonate
Frame Material	Nylon
Frame Support	Temples
Frame Colour	Black
Temple Benefits	Adjustable Lens Temples
Temples Comfort	Flexible Tip
Weight	32g
Benefits Elements	Colour Perception
Standards	Case Quantity
ANSI Z87.1-2020	12 Per Box
High Impact Rated Z87+	300 Per Carton
CE EN166 1FT/FT	
CE EN170 UV 2C-1.2	



Product Features

- Adjustable Length arms for less pressure
- Extra flat temples for optimal comfort with ear muff

Application

- Public Works
- Building
- Finishing Works/Craftmanship

WRAPROUND SPECTACLE

PIONEERVISION

VISION

PART NUMBERS

Lens	Coating	Code
Clear	Anti-Scratch	PV002
Clear	Anti-Scratch/Anti-Fog	PV002-AFOG
Amber	Anti-Scratch	PV002-A
Green	Anti-Scratch	PV002-G

TECHNICAL DETAILS

Kind of spectacles	Overspecs
Use	Indoor
Lens Material	Polycarbonate
Lens Treatment	Anti-Scratch
Glasses Style	Monoblock
Characteristics	Curved
Nose Pad Material	Polycarbonate
Frame Material	Polycarbonate
Frame Support	Temples
Frame Colour	Clear
Weight	44g
Worn over Prescription Glasses	Yes

Benefits Elements *Colour Perception, large field of view*

Standards Case Quantity

ANSI Z87.1-2020	12 Per Box
High Impact Rated Z87+U6	300 Per Carton
CE EN166 1FT/FT	
CE EN170 UV 2C-1.2	



Product Features

- Ample indirect venting on the top and bottom of the lens to reduce moisture infiltration and fogging
- Wide frame bringing a better fit for wider facial profile
- Wraparound lens provides extra wide unobstructed field of vision.
- Easily fits over most medium sized prescription eyewear of up to 144MM
- Extra flat temples for optimal comfort with Ear muffs
- Clear frame compatible with corrective lenses

Application

- Finishing Works/Craftsmanship
- Light Industry
- Temporary Work
- Public Services
- Power Energy
- Transportation

SPORTY SPECTACLE

PIONEERVISION

VISION

PART NUMBERS

Lens	Coating	Code
Clear	Anti-Scratch	PV003
Clear	Anti-Scratch/Anti-Fog	PV003-AFOG
Amber	Anti-Scratch	PV003-A
Silver Mirror	Anti-Scratch	PV003-M
Grey	Anti-Scratch	PV003-GL
Amber	Anti-Scratch/Anti-Fog	PV003-AAFOG
Green	Anti-Scratch	PV003-G

TECHNICAL DETAILS

Kind of spectacles	Glasses
Use	Indoor/Outdoor
Lens Material	Polycarbonate
Lens Treatment	Anti-Scratch(Classic)UV400
Glasses Style	Monoblock
Characteristics	Curved
Nose Pad Material	Polycarbonate
Frame Material	Polycarbonate
Frame Support	Temples
Lens Based Curve	9.5
Weight	25g
Benefits Elements	Colour Perception

Standards	Case Quantity
ANSI Z87.1-2020	12 Per Box
High Impact Rated Z87+UE	300 Per Carton
CE EN166 1FT/FT	
CE EN170 UV 2C-1.2	



Product Features

- Lightweight and robust, resists bending and twisting
- Extra flat temples for optimal comfort and less pressure
- Extra flat temples for optimal comfort with Ear muffs
- Economical molded nose bridge

Application

- Public Works
- Building
- Craftsmanship
- Mining
- Cleanliness

CLASSIC SPECTACLE

PIONEERVISION

VISION

PART NUMBERS

Lens	Coating	Code
Clear	Anti-Scratch	PV004
Grey	Anti-Scratch	PV004-GL

TECHNICAL DETAILS

Kind of spectacles	Glasses
Use	Outdoor
Lens Material	Polycarbonate
Lens Treatment	Anti-Scratch(Classic)UV400
Glasses Style	Monoblock
Characteristics	Curved
Nose Pad Material	Polycarbonate
Frame Material	Polycarbonate
Frame Support	Temples
Lens Based Curve	9.5
Weight	40g
Benefits Elements	Ear Protection Compatibility

Standards	Case Quantity
ANSI Z87.1-2020	12 Per Box
High Impact Rated Z87+U6 L2.5	300 Per Carton
CE EN166 1FT/FT	
CE EN170 UV 5 - 2.5	



Product Features

- Lightweight and robust, resists bending and twisting
- Extra flat temples for optimal comfort and less pressure
- Extra flat temples for optimal comfort with Ear muffs
- Economical molded nose bridge

Application

- Food & Beverage
- Agriculture
- Maintenance
- Chemical Industry
- Automotive
- Fishing

SPIDER SPECTACLE

PIONEERVISION

VISION

PART NUMBERS

Lens	Coating	Code
Blue Mirror	Anti-Scratch	PV008-BM
Clear	Anti-Scratch/Anti-Fog	PV008
Amber	Anti-Scratch/Anti-Fog	PV008-A
Grey	Anti-Scratch/Anti-Fog	PV008-GL

TECHNICAL DETAILS

Kind of spectacles	Glasses
Use	Indoor/Outdoor
Lens Material	Polycarbonate
Lens Treatment	Anti-Scratch/Anti-Fog
Glasses Style	Monoblock
Characteristics	Curved
Nose Pad Material	Polycarbonate
Frame Material	Polycarbonate
Frame Support	Temples
Benefits Elements	Respiratory Equipment Compatibility

Standards	Case Quantity
ANSI Z87.1-2020	12 Per Box
High Impact Rated Z87+U6 L2.5	300 Per Carton
CE EN166 1FT/FT	
CE EN170 UV 5 - 2.5	



Product Features

- Ergonomic design ensures a snug fit
- Extra flat temples for optimal comfort and less pressure
- Extra flat temples for optimal comfort with Ear muffs
- Economical molded nose bridge

Application

- Food & Beverage
- Agriculture
- Maintenance
- Chemical Industry
- Automotive
- Fishing

LASER SPECTACLE

PIONEERVISION

VISION

PART NUMBERS

Lens	Coating	Code
Silver Mirror	Anti-Scratch	PV009-M
Clear	Anti-Scratch/Anti-Fog	PV009
Grey	Anti-Scratch/Anti-Fog	PV009-GL

TECHNICAL DETAILS

Kind of spectacles	Glasses
Use	Indoor/Outdoor
Lens Material	Polycarbonate
Lens Treatment	Anti-Scratch/Anti-Fog UV400
Glasses Style	Monoblock
Characteristics	Curved
Nose Pad Material	Polycarbonate
Frame Material	Polycarbonate
Frame Support	Temples
Weight	35g
Standards	Case Quantity
ANSI Z87.1-2020	12 Per Box
High Impact Rated Z87+U6 L2.5	300 Per Carton
CE EN166 1FT/FT	
CE EN170 UV 5 - 2.5	



Product Features

- Lightweight and robust, resists bending and twisting
- Extra flat temples for optimal comfort and less pressure
- Extra flat temples for optimal comfort with Ear muffs
- Economical molded nose bridge

Application

- Food & Beverage
- Agriculture
- Maintenance
- Chemical Industry
- Automotive
- Fishing

O-VISION SPECTACLE

PIONEERVISION

VISION

PART NUMBERS

Lens	Coating	Code
Clear	Anti-Scratch	SG012
Amber	Anti-Scratch	SG012-A
Green	Anti-Scratch	SG012-G
Grey	Anti-Scratch	SG012-GL

TECHNICAL DETAILS

Kind of spectacles	Glasses
Use	Outdoor
Lens Material	Polycarbonate
Lens Treatment	Anti-Scratch UV400
Glasses Style	Monoblock
Characteristics	Curved
Nose Pad Material	Polycarbonate
Frame Material	Polycarbonate
Frame Support	Temples
Weight	40g

Standards	Case Quantity
ANSI Z87.1-2020	12 Per Box
High Impact Rated Z87+UG L2.5	300 Per Carton
CE EN166 1FT/FT	
CE EN170 UV 5 - 2.5	



Product Features

- Lightweight and robust, resists bending and twisting
- Extra flat temples for optimal comfort and less pressure
- Extra flat temples for optimal comfort with Ear muffs
- Economical molded nose bridge

Application

- Food & Beverage
- Agriculture
- Maintenance
- Chemical Industry
- Automotive
- Fishing

OVER SPEC SPECTACLE

PIONEERVISION

VISION

PART NUMBERS

Lens	Coating	Code
Clear	Anti-Scratch/Anti-Fog	PV012

TECHNICAL DETAILS

Kind of spectacles	Glasses
Use	Outdoor
Lens Material	Polycarbonate
Lens Treatment	Anti-Scratch/Anti-Fog UV400
Glasses Style	Monoblock
Characteristics	Curved
Nose Pad Material	Polycarbonate
Frame Material	Polycarbonate
Frame Support	Temples
Benefit	Compatible with Prescription

Standards	Case Quantity
ANSI Z87.1-2020	12 Per Box
High Impact Rated Z87+UG L2.5	300 Per Carton
CE EN166 1FT/FT	
CE EN170 UV 5- 2.5	



Product Features

- Lightweight and robust, resists bending and twisting
- Extra flat temples for optimal comfort and less pressure
- Extra flat temples for optimal comfort with Ear muffs
- Economical molded nose bridge

Application

- Food & Beverage
- Agriculture
- Maintenance
- Chemical Industry
- Automotive
- Fishing

SHADE 5 WELDING SPECTACLE

PART NUMBERS

Lens	Coating	Code
Shade 5	Anti-Scratch	PV016

TECHNICAL DETAILS

Kind of spectacles	Glasses
Use	Welding
Lens Material	Polycarbonate
Lens Treatment	Anti-Scratch
Lens Based Curve	4
Glasses Style	Monoblock
Characteristics	Curved
Nose Pad Material	Polycarbonate
Frame Material	Nylon
Frame Support	Temples
Frame Colour	Black
Temple Benefits	Adjustable Lens Temples
Temples Comfort	Flexible Tip
Weight	32g
Benefits Elements	Welding

Standards	Case Quantity
ANSI Z87.1-2020	12 Per Box
High Impact Rated Z87+	300 Per Carton
CE EN166 1FT/FT	
CE EN170 UV 2C-1.2	

PIONEERVISION

VISION



Product Features

- Adjustable Length arms for less pressure
- Extra flat temples for optimal comfort with ear muff

Application

- Welding

GAUZED SPECTACLE

PART NUMBERS

Lens	Coating	Code
Mesh	-	PV071

TECHNICAL DETAILS

Kind of spectacles	Gauzed
Use	Outdoor
Lens Material	Mesh
Nose Pad Material	Polycarbonate
Frame Material	Polycarbonate
Frame Support	Temples

Case Quantity

12 Per Box
300 Per Carton



Product Features

Introducing Mesh Spectacles, the perfect blend of style and safety. With a polycarbonate frame, sleek black mesh lens, and wide 120° lateral vision, these spectacles provide exceptional clarity while ensuring personal safety. Compatible with prescription glasses, they offer uncompromised comfort and protection. Embrace the fusion of style and safety with Mesh Spectacles and elevate your visual experience.

SPOGGLE SPECTACLE

PIONEERVISION

VISION

PART NUMBERS

Lens	Coating	Code
Clear	Anti-Scratch/Anti-Fog	SG013
Grey	Anti-Scratch/Anti-Fog	SG013-GL

TECHNICAL DETAILS

Gasket	Absorbing Foam
Lens Based Curve	9.5
Lens Material	Polycarbonate
Lens Treatment	Anti-Scratch/Anti-Fog/Anti-Static
Glasses Style	Monoblock
Characteristics	Curved
Nose Pad Material	Polycarbonate
Frame Material	TPE
Frame Support	Elastic
Weight	60g
Frame Colour	Black/Orange
Headband	Polyester
Benefit Elements	Anti Static/ Colour Perception

Standards	Case Quantity
ANSI Z87.1-2020	12 Per Box
High Impact Rated Z87+U6 D3	300 Per Carton
CE EN166 1BT/BT	
CE EN170 UV 2C - 1.2	



Product Features

- Ample indirect venting on the top and bottom of the lens to reduce moisture infiltration and fogging
- Elastic closure at the back with textile elastic for an Easy to set-up and remove

Application

- Public Works
- Building
- Craftsmanship
- Mining
- Power Energy

3 IN 1 SPOGGLE SPEC

PIONEERVISION

VISION

PART NUMBERS

Lens	Coating	Code
Clear	Anti-Scratch/Anti-Fog	SG014
Grey	Anti-Scratch/Anti-Fog	SG014-GL

TECHNICAL DETAILS

Gasket	Absorbing Foam
Lens Based Curve	9.5
Lens Material	Polycarbonate
Lens Treatment	Anti-Scratch/Anti-Fog/Anti-Static
Glasses Style	Monoblock
Characteristics	Curved
Nose Pad Material	Polycarbonate
Frame Material	TPE
Frame Support	Elastic
Weight	54g
Frame Colour	Black
Headband	Polyester
Benefit Elements	Anti Static/Colour Perception

Standards	Case Quantity
ANSI Z87.1-2020	12 Per Box
High Impact Rated Z87+U6 D3	300 Per Carton
CE EN166 1BT/BT	
CE EN170 UV 2C - 1.2	



Product Features

- Ample indirect venting on the top and bottom of the lens to reduce moisture infiltration and fogging
- Elastic closure at the back with textile elastic for an Easy to set-up and remove

Application

- Public Works
- Building
- Craftsmanship
- Mining
- Power Energy

SP GOGGLE

PART NUMBERS

Lens	Coating	Code
Clear	Anti-Scratch/Anti-Fog	SC015

TECHNICAL DETAILS

Casket	Absorbing Foam
Lens Based Curve	9.5
Lens Material	Polycarbonate
Lens Treatment	Anti-Scratch/Anti-Fog/Anti-Static
Glasses Style	Monoblock
Characteristics	Curved
Nose Pad Material	Polycarbonate
Frame Material	TPE
Frame Support	Elastic
Weight	80g
Frame Colour	Silver
Headband	Polyester
Benefit Elements	Anti Static/Colour Perception

Standards	Case Quantity
ANSI Z87.1-2020	12 Per Box
High Impact Rated Z87+U6 D3	300 Per Carton
CE EN166 1B1/BT	
CE EN170 UV 2C - 1.2	



Product Features

- Ample indirect venting on the top and bottom of the lens to reduce moisture infiltration and fogging
- Elastic closure at the back with textile elastic for an Easy to set-up and remove

Application

- Public Works
- Building
- Craftsmanship
- Mining
- Power Energy

DIRECT-VENT CLEAR GOGGLE

PIONEERVISION

VISION

PART NUMBERS

Lens	Coating	Code
Clear	Anti-Scratch	SC001B

TECHNICAL DETAILS

Kind of spectacle	Goggle
Use	Inside
Lens Material	Polycarbonate
Lens Treatment	Anti-Scratch
Glasses Style	Monoblock
Characteristics	Straight
Nose Pad Material	PVC
Frame Material	PVC
Frame Support	Elastic
Weight	60g
Frame Colour	Clear
Headband	Polyester
Standards	Case Quantity
ANSI Z87.1-2020	200 Per Carton
High Impact Rated Z87+US	
CE EN166 1B/B	
CSA Z94.3-20	



Product Features

- Clip closure at the back with textile elastic for an Easy to set-up and remove
- Extra soft nose bridge for an optimised comfort and perfect fit for all body types
- Extra flat temples for optimal comfort with Ear muffs

Application

- Public Works
- Building
- Craftsmanship
- Mining
- Agriculture
- Food Services

INDIRECT-VENT CLEAR GOGGLE

PART NUMBERS

Lens	Coating	Code
Clear	Anti-Scratch/Anti-Fog	PV007

TECHNICAL DETAILS

Kind of spectacle	Goggle
Use	Inside
Lens Material	Polycarbonate
Lens Treatment	Anti-Scratch/Anti-Fog
Glasses Style	Monoblock
Characteristics	Straight
Nose Pad Material	PVC
Frame Material	PVC
Frame Support	Elastic
Weight	86g
Frame Colour	Clear
Headband	Polyester

Standards	Case Quantity
ANSI Z87.1-2020 High Impact Rated Z87+U6 CE EN166 1B/B CSA Z94.3-20	100 Per Carton



Product Features

- Clip closure at the back with textile elastic for an Easy to set-up and remove
- Extra soft nose bridge for an optimised comfort and perfect fit for all body types
- Extra flat temples for optimal comfort with Ear muffs

Application

- Public Works
- Building
- Craftsmanship
- Mining
- Agriculture
- Food Services

FLIP FRONT WELDING GOGGLE

PART NUMBERS

Lens	Coating	Code
Shade 5	-	SG002-B

TECHNICAL DETAILS

Kind of spectacle	Goggle
Use	Welding
Lens Material	Polycarbonate
Lens Treatment	Anti-Scratch(Classic) UV400
Glasses Style	Dual Lens
Characteristics	Straight
Headband	Polyester
Frame Material	Nylon
Frame Support	Elastic
Weight	157g
Frame Colour	Red
Benefits	Ear Protection Compatibility

Standards	Case Quantity
CE EN169 UV-5	100 Per Carton
CE EN175 F	
CE EN166 1F/FT	



Product Features

- Fork-type headband provides low and consistent pressure on the wearer's head without sacrificing comfort.
- Elastic closure at the back with textile elastic for an Easy to set-up and remove
- Extra flat temples for optimal comfort with Ear muffs

Application

- Welding

ECONOMICAL EYEWEAR

EURO SPECTACLE



SG006



SG006-A



SG006-G



SG006-GL

WRAPROUND SPECTACLE



SG002



SG002-A



SG002-G

SPORTY SPECTACLE



SG007



SG007-A



SG007-M



SG007-GL



SG007-G

GOGGLES



SG002



SG003



SG001-D

ACCESSORY

RETAINER CORD



SC001

SPECTACLE BAG



SC002



HEARING
PROTECTION

PIONEERSAFETY

EARMUFFS



EP305

H:31dB - M:23dB - L:16dB

TACTICAL EARMUFF

- Over the head type
- Mini Style
- Plastic cups with foam liner and foam filled cushion
- Folding headband
- SNR=26dB

CE 2777 EN 352-1:2002 40



EP303

H:31dB - M:23dB - L:16dB

TACTICAL EARMUFF

- Over the head type
- Mini Style
- Plastic cups with foam liner and foam filled cushion
- Folding headband
- SNR=26dB

CE 2777 EN 352-1:2002 40



EP304

H:30dB - M:22dB - L:14dB

KIDS EARMUFF

- Over the head type
- Mini Style
- Plastic cups with foam liner and foam filled cushion
- Folding headband
- SNR=24dB

CE 2777 EN 352-1:2002 40



EP302

H:31dB - M:28dB - L:21dB

RED CAP MOUNTED

- Helmet Mounted Style
- Luxury Style
- Plastic cups with foam liner and foam filled cushion
- Attached to hardhat
- SNR=30dB

CE 2777 EN 352-3:2002 20



EP301

H:36dB - M:32dB - L:24dB

DEFENDER EARMUFF

- Over the head type
- ABS cup with foam liner and foam filled cushion
- Metal Headband
- PU Cover
- SNR=34dB

CE 2777 EN 352-1:2002 20



EP300

H:36dB - M:26dB - L:18dB

BLUE EARMUFF

- Over the head type
- Economic Style
- Plastic Cups
- Foam Liner
- Plastic Headband
- SNR=29dB

CE 2777 EN 352-1:2002 20

BLUETOOTH EARMUFF



EP400

H:31dB - M:26dB - L:20dB

- Electric Ear Defenders
- Bluetooth Connectivity
- Headband
- 2 ABS Cups with PU Foam Cushion
- SNR=29dB

CE 2777
EN 352-1:2002

CE EN 352-6:2002

Electrical input for which mean +1 SD of A-weighted diffuse-field related sound pressure level is 82 dB **92.3 mV**

CE EN 352-8:2008

Diffuse Field Equivalent Level at Ear **Mean= 73.4 Mean+SD= 74.3**

Product Features

- | | |
|-------------------------|--------------------------|
| · High Attenuation | · Comfortable Fit |
| · AUX Input | · Charge Indicator |
| · Auto Noise Reduction | · Volume Control Feature |
| · Auto Shutdown Feature | · Power Low Signal |



ECONOMIC EARMUFF



EP002

REDEARMUFF

UNIVERSAL



EP040

BLUEEARMUFF


UNIVERSAL



EP007

EARDEFENDER

NECK-ATTACH



★ EARPLUGS



EP001-BAND

H:31dB - M:26dB - L:25dB

BANDED EARPLUGS

- Under The Chin Type
- Silicon Tip With PP Band
- Nominal Diameter 10/14mm

- SNR=30dB

CE 2777 EN 352-2:2002  150



EP202

H:34dB - M:33dB - L:30dB

HI-VIS BULLET EARPLUGS

- Disposable Corded
- PU Foam
- Tapered
- Nominal Diameter 6/12mm

- SNR=35dB

CE 2777 EN 352-2:2002  2000



EP205

H:25dB - M:23dB - L:22dB

SILICON EARPLUG

- Corded
- Silicone
- Re-Usable
- Nominal Diameter 8-10mm

- SNR=26dB

CE 2777 EN 352-2:2002  2000



EP203

H:32dB - M:29dB - L:28dB

HI-VIZ TPR EARPLUG

- Reusable
- Corded
- Four Flange TPR
- Nominal Diameter 8-12mm

- SNR=32dB

CE 2777 EN 352-2:2002  2000



EP204

H:32dB - M:29dB - L:28dB

METAL DETECTABLE EARPLUG

- Reusable
- Corded
- Four Flange TPR
- Nominal Diameter 8-12mm

- SNR=32dB

CE 2777 EN 352-2:2002  2000



EP201

H:34dB - M:33dB - L:30dB

HI-VIZ BULLET EARPLUG

- Disposable Uncorded
- PU Foam
- Tapered
- Nominal Diameter 6/12mm

- SNR=35dB

CE 2777 EN 352-2:2002  4000

5 PAIR

RETAIL PACK EARPLUG



EP206

H:37dB - M:36dB - L:32dB



- Disposable
- PU Foam
- Tapered
- Size 5-11mm
- Uncorded
- SNR=38dB

CE 2777
EN 352-1:2002



HI-VIS DISPOSABLE

EARPLUG REFILL PACK

500 PIECE

● Green

- Disposable Uncorded
- PU Foam
- Tapered
- Nominal Diameter 6/12mm
- SNR=35dB



EP-DISP

EARPLUG DISPENSER

WITHOUT EARPLUGS

● Black



PIONEERSAFETY



FALL ARREST



Gr^oavityGuard



SNAP HOOKS

DOUBLE LANYARD

Application	Fall arrest
Attachment	Dorsal position (for fall arrest)
Other features	Easy to fit harness Lightweight
Lanyard set	Double leg lanyard with snap hooks Energy absorbing element 1.75m long (including energy absorber)
Adjustment	Leg straps (standard buckles) Chest strap (25mm dee rings)
Sizing	Small, medium, large, XL and 2XL

CODE: FAP001

10 IN A CARTON



SANS 50361:2003 Full body harnesses, SANS 50355:2003 Energy absorbers, SANS 50354:2003 Lanyards



SNAP HOOKS

DOUBLE LANYARD WITH WAIST BELT

Application	Fall arrest
Attachment	Dorsal position (for fall arrest)
Other features	Easy to fit harness Lightweight Waist belt
Lanyard set	Double leg lanyard with snap hooks Energy absorbing element 1.75m long (including energy absorber)
Adjustment	Leg straps (standard buckles) Chest strap (25mm dee rings) Waist belt (standard buckle)
Sizing	Small, medium, large, XL and 2XL
Options	Can be fitted with a Pioneer harness step Can be supplied with a 45mm chest strap Can be supplied with a single leg lanyard

CODE: FAP002

10 IN A CARTON



SANS 50361:2003 Full body harnesses, SANS 50355:2003 Energy absorbers, SANS 50354:2003 Lanyards

GravityGuard

SCAFFOLD HOOKS

DOUBLE LANYARD

Application	Fall arrest
Attachment	Dorsal position (for fall arrest)
Other features	Easy to fit harness Lightweight
Lanyard set	Double leg lanyard with scaffold hooks Energy absorbing element 1.75m long (including energy absorber)
Adjustment	Leg straps (standard buckles) Chest strap (25mm dee rings)
Sizing	Small, medium, large, XL and 2XL
Options	Can be fitted with a Pioneer Harness Step Can be supplied with a single leg lanyard



SANS 50361:2003 Full body harnesses
SANS 50355:2003 Energy absorbers
SANS 50354:2003 Lanyards

CODE: FAP003

10 IN A CARTON

GravityGuard

SCAFFOLD HOOKS

DOUBLE LANYARD WITH WAIST BELT

Application	Fall arrest
Attachment	Dorsal position (for fall arrest)
Other features	Easy to fit harness Lightweight Waist belt
Lanyard set	Double leg lanyard with scaffold hooks Energy absorbing element 1.75m long (including energy absorber)
Adjustment	Leg straps (standard buckles) Chest strap (25mm dee rings) Waist belt (standard buckle)
Sizing	Small, medium, large, XL and 2XL
Options	Can be fitted with a Pioneer harness step Can be supplied with a 45mm chest strap Can be supplied with a single leg lanyard



SANS 50361:2003 Full body harnesses
SANS 50355:2003 Energy absorbers
SANS 50354:2003 Lanyards

CODE: FAP004

10 IN A CARTON



GravityGuard

PERFORMANCE HARNESS

SCAFFOLD HOOKS

Application	Fall arrest
Attachment	Dorsal position (for fall arrest)
Other features	Easy to fit Lightweight Padded dorsal attachment point Padded leg straps
Adjustment	Leg straps (standard buckles) Shoulder straps (standard buckles) Chest strap (standard buckle)
Sizing	Small, medium, large, XL and 2XL
Options	Can be fitted with a Pioneer Harness Step

CODE: FAP005 | 10 IN A CARTON



SANS 50361:2003 Full body harnesses



GravityGuard

TECHNICAL HARNESS

5 POINT

Application	Fall arrest Work positioning Vertical fall arrest system attachment Rope access and rescue
Attachment	Dorsal position (fall arrest) Frontal chest (partial fall arrest) Frontal waist (rope access and rescue) On waist belt (work positioning)
Other features	Padding on shoulders, waist and legs Gear loops on waist belt Easy fitment
Adjustment	Leg and shoulder straps (standard buckles) Carabiner connector in front (easy fitment) Waist belt (quick release buckle)
Sizing	Small, medium, large, XL and 2XL
	Can be paired with any Pioneer lanyard set Cost and order your lanyard set separately



SANS 50361:2003 Full body harnesses; conforms to SANS 50358:2008 Work positioning, SANS 50362:2008 Connectors, SANS 50813:1997 Sit harness

CODE: FAP014



GravityGuard

PRO BLACK HARNESS

Application	Fall arrest Vertical fall arrest system attachment Work positioning Rope access and rescue
Attachment	Dorsal position (fall arrest) Frontal chest (partial fall arrest) Frontal waist (restraint or rescue) On waist belt (work positioning)
Other features	Fully padded Multiple adjustment options Gear loops on waist belt
Adjustment	Legs and waist belt (quick release buckles) Shoulder strap (standard buckle)
Sizing	Small, medium, large, XL and 2XL

CODE: FAP015



SANS 50361:2003 Full body harnesses; conforms to SANS 50358:2008 Work Positioning

GravityGuard

TECHNICAL KIT

ESKOM CONTRACTORS



Application	Fall arrest Vertical fall arrest system attachment Work positioning
Attachment	Dorsal position (for fall arrest) Frontal chest (for partial fall arrest) On waist belt (work positioning)
Other features	Flame retardant and anti static webbing
Adjustment	Leg and shoulder straps (standard buckles) Carabiner connector in front (easy fitment) Waist belt (quick release buckle)
Contents	a. Eskom Type Harness (4 point) b. Lanyard SC2 (Adjustable) c. Work Positioning Lanyard (Webbing Type) d. Climbing slings 150cm (x2) e. Gear Bag 50
Sizing	Small, medium, large, XL and 2XL

SANS 50361:2003 Full body harnesses, SANS 50355:2003 Energy absorbers,
SANS 50354:2003 Lanyards; conforms to SANS 50362:2008 Connectors, SANS
50358:2008 Work positioning, SANS 50566:1997 Slings

CODE: FAP024

GravityGuard



Connectors:

Carabiner
orSnap hook
or

Quick link

TECHNICAL LANYARD

Application	Fall arrest system
Hooks	Two scaffold hooks
Features	Energy absorbing element Double leg lanyard set 45mm webbing
Sizing	1.75m long maximum adjustment (standard) 1.00m long minimum adjustment (standard)
Connectors	Carabiner (as standard)
Options	Available in single or double leg configuration Available with snap hooks



SANS 50355:2003 Energy absorbers, SANS 50354:2003 Lanyards; conforms to
SANS 50362:2008 Connectors, SANS 50363:2003 Fall arrest systems

CODE: FAP016



Connectors:

Carabiner
orSnap hook
or

Quick link

GravityGuard


PRO BLACK LANYARD

Application	Fall arrest system
Hooks	Two scaffold hooks
Features	Energy absorbing element Double leg 4 lanyard set 45mm webbing Hook back points positioned mid lanyard Cut and wear resistant protective sleeves
Sizing	1.75m long (including energy absorber) Custom length between 1m and 2m
Connectors	Carabiner (as standard)
Options	Available in single or double leg configuration Also available with snap hooks



SANS 50355:2003 Energy absorbers, SANS 50354:2003 Lanyards; conforms to
SANS 50362:2008 Connectors, SANS 50363:2003 Fall arrest systems

CODE: FAP017



HARNESS STEP

- Application** Safety device to mitigate suspension trauma
- Fitment**
 - a. Unit supplied separately as a component
 - b. Select anchor point on harness at waist
 - c. Loop unit around harness strap
 - d. Feed back through webbing eye
 - e. Allow unit to hang freely from waist
- To deploy**
 - f. Pull connector downward to release step
 - g. Pull step out of cover until fully deployed
 - h. Feed connector back through webbing
 - i. Hook connector onto a webbing eye
 - j. Insert foot (or both feet) into harness step
- Adjustment**
 - k. Remove foot (or feet) from harness step
 - l. Move connector to another webbing eye
 - m. Insert foot (or both feet) into harness step
- Be aware** Training is required to use this device

CODE: FAP021

TOOLING LANYARD



- Application** For securing tooling while working at height
- Features** Elasticated webbing lanyard
Toggle and carabiner ends
- Size** 80cm at maximum extension
- Capacity** 8kg maximum load capacity
- Options** Heavy duty version available

CODE: FAP006

WRIST LANYARD



- Application** For securing tooling while working at height
- Features** Velcro fastening wrist lanyard
Corded loop
- Size** 30cm
- Capacity** 2kg maximum load capacity

CODE: FAP007



FALL ARRESTOR COMPACT 2M

- Application** Use as part of a fall arrest system
- Features** 25mm webbing lanyard
Maximum extension 2m
Complete with snap hook and carabiner
Weight 10kg
- Safe load** 140kg (weight of user, PPE and tooling)
- Serviceability** Serviceable, can be inspected and certified

Conforms to EN 340:2002 Retractable lanyards, EN 362:2008 Connectors

CODE: FAP008

FALL ARRESTOR WEBBING TYPE



- Application** Use as part of a fall arrest system
- Features** 25mm webbing lanyard
Maximum extension per options
Complete with snap hook and carabiner
Weight 10 to 12kg
- Safe load** 140kg (weight of user, PPE and tooling)
- Serviceability** Serviceable, can be inspected and certified

Conforms to EN 340:2002 Retractable lanyards, EN 362:2008 Connectors

3.5M: FAP009 **6M:** FAP010

FALL ARRESTOR CABLE TYPE



- Application** Use as part of a fall arrest system
- Features** 4mm steel wire rope lanyard
Maximum extension per options
Complete with snap hook and carabiner
Weight 10 to 12kg
- Safe load** 140kg (weight of user, PPE and tooling)
- Serviceability** Serviceable, can be inspected and certified

Conforms to EN 340:2002 Retractable lanyards, EN 362:2008 Connectors

10M: FAP011 **15M:** FAP012 **20M:** FAP013

ONSITE

EQUIPMENT

SECURITY BELT - BLACK

CODE: BELT001



SIZE: STANDARD

SECURITY BELT - NAVY

CODE: BELT002



SIZE: STANDARD

CAP LAMP BELT

CODE: BELT004



SIZE: S-3XL

CAP LAMP BELT - REFLECTIVE STITCHING

CODE: BELT005



SIZE: STANDARD

CAP LAMP BELT - PADDED

CODE: BELT006



SIZE: STANDARD

CAP LAMP BELT - PADDED - SHOULDER STRAPS



SIZE: STANDARD

CODE: BELT009



SNAKE BITE LEGGINGS

CODE: LEG01

- Application** Ankle to knee protection from snake bite
- Features** Durable and washable canvas outer layer
Adjustable straps Metatarsal protector
- Endorsement** Product developed with, tested and endorsed by African Reptiles and Venom



GEAR BAG

CODE: LEG01

- Features** Water resistant heavy duty PVC fabric
Fold over top with clip
Shoulder strap
Ideal for a single personal fall arrest system

BAG 20L: BAG001

BAG 50L: BAG002

BAG 100L: BAG003



ELASTIC KIDNEY BELT Code A034

 40 IN A CARTON

SIZE: S-3XL



RUBBER KNEE PAD

Code A036

BLACK



ORANGE KNEE PAD

Code A036-K1

ORANGE



PLASTIC KNEE PAD

Code A065

BLACK



SHOE PROTECTOR

Code A039

METTA GUARD

FIRST AID KITS



MOTORIST KITS

Code **A038**

- Eye Pad
- Wound Cleaner
- Gauze
- Swabs
- Forceps
- Scissors
- Safety Pins
- Triangular Bandages
- Conforming Bandages
- Paper Tape Roll
- Latex Gloves
- First Aid Dressing
- Assorted Plasters
- CPR Mouth Pieces
- Interlocking Plastic Splints



PIONEER SAFETY FIRST AID KIT

REG 3 - FIRST AID KIT | PRODUCT CODE: **RS009**

PRODUCT DESCRIPTION

DESCRIPTION

Pioneer RS009 Reg 3, first aid safety box range features a set of materials and tools that is used for giving emergency treatment to a sick or injured person.

Pioneer RS009 are entry level kits, whilst Pioneer RS009-1 kits are used in incidents where there is blood spill.

These kits are suitable for use indoors, in offices or manufacturing environments.

SPECIFICATIONS

STYLE: PORTABLE & WALL MOUNTABLE
 BOX MATERIAL: STEEL
 ADDITIONAL: REPLACEMENT CONTENTS AVAILABLE

COMPLIANCE & CONFORMITY

- Conforms to Regulation 7 of the Hazardous Chemical Substances
- Regulations of the Occupational Health and Safety Act, Act 85 of 1993.

CONTENTS OF FIRST AID BOX

CONTENTS	NO.
Wound cleaner/antiseptic (100ml)	1
Swabs for cleaning wounds	1
Cotton wool for padding (100g)	1
Sterile gauze (minimum quality 10)	10
Pair of forceps (for splinters)	1
Pair of scissors (minimum size 100mm)	1
Set of safety pins	1
Triangular bandages	4
Roller bandages (75mm x 5m)	4

CONTENTS	NO.
Roller bandages (100mm x 5m)	4
Roll of elastic adhesive (25mm x 3m)	1
Non-allergic adhesive strip (25mm x 3m)	1
Packet of adhesive dressing strips	1
First aid dressing (75mm x 100mm)	4
First aid dressings (150mm x 200mm)	4
Straight splints	2
Pairs large & 2 pairs medium disposable latex gloves	2
CPR mouth pieces or similar devices	2



PIONEER SAFETY FIRST AID KIT

REG 7 - FIRST AID KIT | PRODUCT CODE: RS009-2

PRODUCT DESCRIPTION

DESCRIPTION

Pioneer Safety RS009-1 Reg 7, first aid safety box range features a set of materials and tools that is used for giving emergency treatment to a sick or injured person.

Pioneer Safety RS009 are entry level kits, whilst Pioneer RS009-1 kits are used in incidents where there is blood spill.

These kits are suitable for use indoors, in offices or manufacturing environments.

SPECIFICATIONS

STYLE: PORTABLE & WALL MOUNTABLE
BOX MATERIAL: STEEL
ADDITIONAL: REPLACEMENT CONTENTS AVAILABLE

COMPLIANCE & CONFORMITY

- Conforms to Regulation 7 of the Hazardous Chemical Substances
- Regulations of the Occupational Health and Safety Act, Act 85 of 1993.

CONTENTS OF FIRST AID BOX

CONTENTS	NO.
Wound cleaner/antiseptic (100ml)	1
Swabs for cleaning wounds	1
Cotton wool for padding (100g)	1
Sterile gauze (minimum quality 10)	10
Pair of forceps (for splinters)	1
Pair of scissors (minimum size 100mm)	1
Set of safety pins	1
Triangular bandages	4
Roller bandages (75mm x 5m)	4
Silolida 6g sachets	1
Absorbent 40g sachets	1
Eusol Disinfectant 50ml	1

CONTENTS	NO.
Roller bandages (100mm x 5m)	4
Roll of elastic adhesive (25mm x 3m)	1
Non-allergic adhesive strip (25mm x 3m)	1
Packet of adhesive dressing strips	1
First aid dressing (75mm x 100mm)	4
First aid dressings (150mm x 200mm)	4
Straight splints	2
Pairs large & 2 pairs medium disposable latex gloves	2
CPR mouth pieces or similar devices	2
Household Gloves Medium	2
Biohazard Bag	2
Household Gloves Large	2

EMPTY FIRST AID KIT BOX

RS011

REGULATION 3 FACTORY FIRST AID KIT REFILL

RS009-1

EMPTY FIRST AID KIT BOX

RS009-3

ROAD SAFETY

EQUIPMENT



TRAFFIC CONE

Black Rubber Base



- code TC500E ————— size 500MM
- code TC750E ————— size 750MM
- code TC1000E ————— size 1000MM



SOFT PVC TRAFFIC CONE

Reflective Tape



- code TC300P ————— size 300MM
- code TC400P ————— size 450MM
- code TC700P ————— size 700MM
- code TC900P ————— size 900MM



FOLDABLE TRAFFIC CONE

Reflective Tape



- code TC400 ————— size 400MM
- code TC750 ————— size 750MM



SOFT PVC TRAFFIC CONE Black Rubber Base

 Lime

code TC450P-LIME ————— size 450MM

code TC700P-LIME ————— size 700MM



TRAFFIC PLASTIC POST RUBBER BASE

 Red

code TC001 ————— size 1.1M



EMERGENCY WARNING TRIANGLE

 Red



Code EP013 ————— Properties STEEL

Code EP014 ————— Properties PLASTIC



1.8M TRAFFIC CONE

PLASTIC

BLUE - ORANGE - YELLOW - RED - GREEN

Order Per Request

TC1800P

1.8MM



PLASTIC BARRIER NET

code EP009 — size 1X50M
 code EP009 — size 1.2X50M



TWO TONE BARRIER NET

code EP009-YO — size 1X50M



BARRIER TAPE

code BT500-YB — size 500M

 Red/White  Yellow/Black



code BT100 — size 100M


code BT500 — size 500M

ADHESIVE TAPE

FOR TRUCKS



 Yellow  Red  White




 code EP030 — size 5CMX50M

 code EP031 — size 5CMX50M

 code EP032 — size 5CMX50M

 code EP033 — size 5CMX5M



FLAG FOR BUGGY WHIP

Orange Red

- code BWF001
- code BWS001



BUGGY WHIP

Orange

- code BW01 _____ qty 1 PIECE
- code BW02 _____ qty 2 PIECE
- code BW03 _____ qty 3 PIECE



Red

Reflective Tape/Non Reflective Tape

WOODEN HANDLE RED FLAG

- code RFR-001 _____ NON REFLECTIVE
- code RFR-002 _____ REFLECTIVE



12V REVOLVING LIGHT

cod L002

CLEANING



T-SHIRT RAGS

5KG PACK

cod RAGS-POLO



WET FLOOR CAUTION

10 IN A CARTON

cod WET FLOOR

PIONEER SAFETY